

EVIDENCE OF COVID-19 VACCINE INJURIES & DEATHS

This document is intended to provide some insight into and evidence of possible adverse reactions to COVID-19 vaccines. It is structured as follows:

1. A background on harms caused by other vaccines, which were only discovered after they were licensed and marketed. This includes at least 2 examples where the vaccine was suspended due to a relatively small number of reports of injury or death. This section includes links to supporting documentation from mainstream sources, published research and the CDC.

What we will see is that at least 2 vaccines were suspended due to a relatively small number of reported adverse events, with thorough investigations only being launched afterwards. In other words, historical precedent shows that the CDC takes reports very seriously and in at least 2 cases suspended a vaccine based on a small number of reports. Why are they not doing that now when a large number of serious adverse events are being reported?

2. A discussion of the Vaccine Adverse Events Reporting System (VAERS) and summary of studies that have tried to measure the extent to which adverse events are underreported.
3. A presentation and discussion of data on adverse events reported to VAERS for COVID-19 vaccines, including deaths.
4. Presentation of adverse events based on EU, UK and Israeli data and links to news reports on 4 adverse events: anaphylaxis, Bell's palsy, autoimmune thrombocytopenia and vaginal bleeding.
5. A compilation of news and social media reports detailing anecdotes of many adverse events of people shortly after receiving a COVID-19 vaccine. [Here is](#) another compilation. I don't think all of these are real, but I don't think all of them are fake.
6. A discussion of possible mechanisms by which COVID-19 vaccines could cause adverse reactions.

PREVIOUS PROBLEMS W/LICENSED VACCINES

Many people believe that since the short term safety studies involving tens of thousands of participants did not show severe adverse reactions, then the unlicensed but authorized for emergency use vaccines for COVID-19 must be safe. But many licensed vaccines that went through clinical trials have been found to cause injury and even been recalled after the fact. Some examples are below.

Keep in mind that most of the information presented below comes from mainstream sources, which we can expect to underestimate the harm caused by vaccines. In fact, there is an argument to be made that [every vaccine produces harm](#) even though the damage may only manifest years later and appear unconnected to the vaccine. Also, calling these [gene therapy injections](#) “vaccines” is just a way to take advantage of the indemnity extended to vaccines so the manufacturers can’t be sued. Remember that all of the chronic and auto-immune diseases wreaking havoc on us and fueling the trillion-dollar pharmaceutical industry can be found among the “side effects” of the inserts packaged with every vaccine. It’s a classic racket: profiting off of problems you create. (If you want to share this document with friends or family but believe this statement is too radical for them, [here is a link](#) to a slightly more palatable version.)

1. The Dengue Virus developed by Sanofi Pasteur and introduced in the Philippines. According to [Wikipedia](#), “The program was stopped when Sanofi Pasteur advised the government that the vaccine could put previously uninfected people at a somewhat higher risk of a severe case of dengue fever.... In late November 2017, the DOH suspended the school-based vaccination program.” The Philippine Department of Justice filed criminal charges against health and regulatory officials and officials of Sanofi Pasteur for “reckless imprudence resulting in homicide,” **alleging that the vaccine was marketed despite awareness of its risks**. More on this at [NPR](#).
2. The vaccine approved for use against the 2009 H1N1 “swine flu” epidemic caused narcolepsy or cataplexy in about 1 in 16,000 people,

with more than 800 children “[so far known to have been made ill by the vaccine](#).” As that link shows, the UK government paid out 60 million pounds to people in the UK afflicted. More from that link:

“There's no doubt in my mind whatsoever that Pandemrix increased the occurrence of narcolepsy onset in children in some countries - and probably in most countries,” Emmanuelle Mignot, a specialist in sleep disorder at Stanford University in the United States told Reuters.”

“Among [those affected] is Josh Hadfield, 8, from Somerset, who is on anti-narcolepsy drugs costing £15,000 a year to help him stay awake during the school day.”

“‘If you make him laugh, he collapses. His memory is shot. There is no cure. He says he wishes he hadn't been born. I feel incredibly guilty about letting him have the vaccine,’ said his mother.”

“Despite a 2011 warning from the European Medicines Agency against using the vaccine on those under 20 and a study indicating a 13-fold heightened risk of narcolepsy in vaccinated children, **GSK has refused to acknowledge a link.**”

3. [Until at least 1963](#), the polio vaccine was contaminated, [exposing at least 98 million people](#) to a [highly carcinogenic](#) monkey virus, SV-40. People vaccinated against polio thought to be contaminated show [an increased risk](#) of many different cancers.
4. The first vaccine against Rotavirus was approved for use in 1998, but [withdrawn a year later](#) after it was found that babies who received the vaccine were at greater risk of developing intussusception, a type of bowel blockage that can be fatal if not addressed in time. The vaccine [became available](#) in October 1998 and in July 1999, the CDC suspended the vaccine after **just 15 cases** of intussusception had been reported to VAERS (see below).

5. The [1976 Swine Flu](#) vaccination campaign [was stopped](#) after 25 deaths and 362 cases were reported of [people developing Guillain-Barré syndrome](#) following vaccination.
6. The [Canadian government withdrew the Trivirix MMR vaccine](#) in 1987 “because of an association between the Urabe Am9 [mumps] strain and aseptic meningitis.” That vaccine was then licensed under a different name and introduced to the U.K. in 1988, even though regulators were aware of widespread reports of cases of meningitis from the vaccine. The vaccine was withdrawn from the UK market in 1992 following the leak of early results of [a study](#) showing a higher risk of meningitis among children who received that vaccine.
7. The [Cutter Incident](#): “On April 12, 1955, following the announcement of the success of the polio vaccine trial, Cutter Laboratories became one of several companies that was recommended to be given a license by the United States government to produce Salk's polio vaccine.... some lots of the Cutter vaccine—despite passing required safety tests—contained live polio virus in what was supposed to be an inactivated-virus vaccine.... The mistake produced 120,000 doses of polio vaccine that contained live polio virus. Of children who received the vaccine, 40,000 developed abortive poliomyelitis (a form of the disease that does not involve the central nervous system), 56 developed paralytic poliomyelitis—and of these, five children died from polio. The exposures led to an epidemic of polio in the families and communities of the affected children, resulting in a further 113 people paralyzed and 5 deaths.... After a thorough investigation, they found nothing wrong with Cutter's production methods. A congressional hearing in June 1955 concluded that the problem was primarily the lack of scrutiny from the NIH Laboratory of Biologics Control.... All five companies that produced the Salk vaccine in 1955...had difficulty completely inactivating the polio virus. Three companies other than Cutter were sued, but the cases settled out of court. The NIH Laboratory of Biologics Control, which had certified the Cutter polio vaccine, had received advance warnings of

problems: in 1954, staff member Dr. Bernice Eddy had reported to her superiors that some inoculated monkeys had become paralyzed and provided photographs.”

8. The Bill & Melinda Gates Foundation is by far the biggest promoter of vaccines in the world. The Indian government’s vaccination board [recently cut financial ties](#) with the foundation [following a report](#) showing the financial conflicts of interest and accusing the foundation of “altering aid priorities by ‘legitimizing the role of multinational pharmaceutical companies’ by pushing for public-private-partnerships (PPPs). According to Global Justice Now, both the BMGF-funded Global Fund to Fight AIDS, Tuberculosis and Malaria (GFATM) and the GAVI Alliance, are PPPs and have questionable associations with the pharmaceutical industry.”

In 2010, an HPV vaccination trial run by the BMGF- PATH NGO was halted early over safety concerns and the use of unethical procedures, and a parliamentary committee “excoriated U.S. nonprofit [running the trials] and its Indian partner for alleged ethical violations in a trial of a vaccine to protect against cervical cancer caused by the human papillomavirus (HPV)” and recommended legal action against the organization running the trials. “Rather than endeavoring to protect women’s health, PATH, [the committee] charged, was a willing tool of foreign drug companies hoping to convince the Indian government to include the HPV vaccine in its universal vaccine program, a roster of mandatory immunizations that the government is required to pay for. ICMR [an Indian regulatory agency], the panel’s report asserts, has “completely failed to perform [its] mandated role and responsibility as the apex body for medical research in the country. ... Rather, in [its] over-enthusiasm to act as a willing facilitator of the machinations of PATH, [it has] even transgressed into the domain of other agencies which deserves the strongest condemnation and strictest action against [it].”

“[In 2014](#), doctors from the Kenyan Catholic Doctors Association discovered that the tetanus vaccinations that had been administered to 2.3 million girls and women by the World Health Organization and UNICEF [which are heavily funded by the BMGF] had been contaminated with the anti-fertility hormone hCG.” This was [not the first time](#) that WHO was found distributing hCG-laced tetanus vaccines. Tetanus vaccines combined with hCG were developed by WHO researchers in the 1970’s as a “[birth control vaccine](#).”

The Corvelva NGO in Italy hired a scientist to conduct an analysis of the contents of several vaccines marketed in Italy and found many surprising results, including insufficient levels of antigens, large amounts of human and animal DNA, and [many other strange things](#).

What Is VAERS and How Reliable Is It?

One of the ways we learn about adverse events from approved vaccines is the CDC's Vaccine Adverse Event Reporting System (VAERS). [From the VAERS website](#):

“VAERS is a national early warning system to detect possible safety problems in U.S. licensed vaccines... VAERS accepts and analyzes reports of adverse events (possible side effects) following vaccination....

“VAERS is not designed to detect if a vaccine caused an adverse event, but it can identify unusual or unexpected patterns of reporting that might indicate possible safety problems requiring a closer look.”

It was created by the 1986 National Childhood Vaccine Injury Act that limited vaccine manufacturer liability for vaccine injury and created a national system of vaccine injury compensation, which has paid out about \$4.5 billion since its creation.

Because it is passive (reports are made voluntarily) and most people are unaware it exists, adverse events following vaccination are underreported. The rate of underreporting is currently unknown, but based on available evidence it is very high:

1. [This meta-analysis](#) of research on underreporting of adverse events from *pharmaceutical drugs* (not vaccines) found the median rate of underreporting overall to be 94% and 80% for serious adverse reactions. [A paper](#) by former FDA commissioner David Kessler cites a study showing that only 1% of serious adverse events from drugs are reported. Adverse reactions to vaccines are arguably even less likely to be reported because people are less likely to acknowledge or connect adverse events from vaccinations than they are from a drug.

2. An HMO in New England was awarded a million-dollar grant from the AHRQ to automate the process of reporting to VAERS. [In their grant report](#), they state: “Although 25% of ambulatory patients experience an adverse drug event, less than 0.3% of all adverse drug events and 1-13% of serious events are reported to the Food and Drug Administration (FDA). ***Likewise, fewer than 1% of vaccine adverse events are reported.***” (No citation is given so source of statement is unclear; possibly from internal testing.) This would mean that only 1 out of 100 or fewer adverse events are reported.

They never had a chance to test the system they developed against VAERS, because “the necessary CDC contacts were no longer available and the CDC consultants responsible for receiving data were no longer responsive to our multiple requests to proceed with testing and evaluation.”

3. [Another study](#) of a partially automated reporting system in a large healthcare network found ***the odds of a physician submitting a report after the new system was implemented was 30-times higher than prior to implementation.***
4. [A CDC study](#) of VAERS underreporting for two serious adverse events, anaphylaxis and Guillain-Barré syndrome (GBS), estimated a range of underreporting depending on the event and the vaccine. For anaphylaxis they estimated between 13-25% of adverse events were reported for most vaccines except the H1N1 vaccine in 2009 where 76% of events were reported. For GBS, VAERS was estimated to capture between 12% to 64% of events.

COVID-19 Vaccine Reports to VAERS

So even though VAERS cannot be used to conclude a causal relationship between vaccination and an adverse event, it is used by the CDC to monitor vaccines for safety “signals.” What kinds of signals are being reported to VAERS?

As of Feb. 26, there have been 1,265 deaths reported to VAERS

following a COVID vaccine. If the estimates above based on attempts to automate vaccine adverse event reporting are correct, the true number of deaths is somewhere between 30 to 100 times that number, or between 37,950 deaths and 126,500 deaths. If the CDC study on anaphylaxis and GBS applies, reported deaths should be between 1,664 and 9,730.

Total adverse events reported for COVID-19 vaccines: **32,409**

Total number if 30x underreporting: 972,270

Total number if 99x underreporting: 3,240,900

Adverse events listed as **SERIOUS: 8,911**

Total number if 30x underreporting: 267,330

Total number if 99x underreporting: 891,199

Adverse events listed as **REQUIRING HOSPITALIZATION: 2,743**

Total number if 30x underreporting: 82,290

Total number if 99x underreporting: 274,300

Adverse events categorized as **‘PERMANENT DISABILITY’: 479**




Total number if 30x underreporting: 14,370

Total number if 99x underreporting: 47,900

17% OF DEATHS ON SAME DAY AS VACCINATION

47% WITHIN 2 DAYS OF VACCINATION

Reported deaths by days since COVID-19 vaccination (VAERS as of 2/26):

		
Vaccination-to-Onset Time	Count	Percent
0 Days	213	16.84%
1 Day	258	20.4%
2 Days	123	9.72%
3 Days	81	6.4%
4 Days	67	5.3%
5 Days	55	4.35%
6 Days	41	3.24%
7 Days	45	3.56%
8 Days	23	1.82%
9 Days	36	2.85%
10-14 Days	95	7.51%
15-30 Days	115	9.09%
31-60 Days	21	1.66%
331-365 Days	1	0.08%
1-2 Years	1	0.08%
Over 7 Years	1	0.08%
Unknown	89	7.04%
TOTAL	1,265	100%

According to [this news article](#), the death rate per vaccine dose is much higher than the flu vaccine this year:

“According to the federal Vaccine Adverse Event Reporting System (VAERS), there were 21 deaths this flu season after 180+ million flu vaccines, a rate of 1 death per 9,000,000 vaccinations.”

“The COVID-19 vaccine, however, according to VAERS, shows **1 death reported per 35,000 shots or 10,000 completed vaccinations (so far), a 300-900 greater likelihood**. The Center for Disease Control (CDC) maintains there is "no link" between the vaccine and the deaths.”

Pressing Questions

1. If VAERS is supposed to provide the CDC with a signal about potential problems with (new) vaccines, **why are they dismissing these deaths rather than launching some kind of investigation into this signal?**
2. The 1976 Swine Flu and the 1998 Rotavirus vaccines were suspended based on far fewer reports of adverse events. **The CDC is ignoring historical precedent. Why? And why has it not suspended the COVID-19 vaccines based on the much larger number of reported adverse events and deaths?**

Actually, the Israeli Ministry of Health [just announced](#) an investigation into reports of inflammation of the meninges and the heart muscle (including pericarditis and myocarditis) in people shortly following vaccination. (It is worth noting that 20% of VAERS reports for COVID-19 vaccines were cardiac-related.) But these are only a fraction of reported events. The investigation needs to be expanded to include ALL morbidity and mortality.

The Israeli government could easily do this, because their health records are highly centralized, and they know whether and when people were vaccinated and if they had any documented health problems after. They already used the data to publish a ([flawed](#)) study of the vaccines' effectiveness. If they wanted to put this issue to rest, they could, but as of this writing they have not.

Why not?

Each VAERS case is assigned a unique ID number and has a description of the incident (death, disability, etc.)

Details for VAERS ID: 0944595-1

Event Information			
Patient Age	56.00	Sex	Male
State / Territory	Florida	Date Report Completed	2021-01-14
Date Vaccinated	2021-01-12	Date Report Received	2021-01-14
Date of Onset	2021-01-12	Date Died	2021-01-14
Days to onset	0		
Vaccine Administered By	Senior Living *	Vaccine Purchased By	Not Applicable *
Mfr/Imm Project Number	NONE	Report Form Version	2
Recovered	No	Serious	Yes

* VAERS 2.0 Report Form Only

** VAERS-1 Report Form Only

"Not Applicable" will appear when information is not available on this report form version.

Event Categories	
Death	Yes
Life Threatening	No
Permanent Disability	No
Congenital Anomaly / Birth Defect *	No
Hospitalized	Yes
Days in Hospital	2
Existing Hospitalization Prolonged	No
Emergency Room / Office Visit **	N/A
Emergency Room *	Yes
Office Visit *	No

* VAERS 2.0 Report Form Only

** VAERS-1 Report Form Only

"N/A" will appear when information is not available on this report form version.

Vaccine Type	Vaccine	Manufacturer	Lot	Dose	Route	Site
COVID19 VACCINE	COVID19 (COVID19 (PFIZER-BIONTECH))	PFIZER\BIONTECH	EL0140	1	IM	AR
COVID19 VACCINE	COVID19 (COVID19 (PFIZER-BIONTECH))	PFIZER\BIONTECH	EL3302	2	IM	AR

Adverse Event Description

Cardiac arrest within 1 hour Patient had the second vaccine approximately 2 pm on Tuesday Jan 12th He works at the extended care community and was in good health that morning with no complaints. He waited 10-15 minutes at the vaccine admin site and then told them he felt fine and was ready to get back to work. He then was found unresponsive at 3 pm within an hour of the 2nd vaccine. EMS called immediately worked on him 30 minutes in field then 30 minutes at ER was able to put him on life support yet deemed Brain dead 1-14-21 and pronounced dead an hour or so later

On the following pages are approx. 70 of the 929 deaths recorded in VAERs. Anyone can view the database via the following steps:

<https://wonder.cdc.gov/vaers.html>

1. Accept the disclaimer at bottom of page
2. Click on VAERS data search
3. In section 1, click on group results by "VAERS ID" , and by "vaccine type" and by "event category"
4. Under optional measures (still in section 1) tick off "adverse event description"
5. Scroll down to section 3 and under Vaccine Products select "Covid19 vaccine" Make sure it is the only option selected. (You will have to deselect "All vaccine products" from the top of the list.)
6. Scroll down to section 5 and under event category select "death". Make sure it is the only option selected. (Don't forget to deselect "all events" from the top of the list).

Scroll to the very bottom and click send.

VAERS ID # 938118-1 AGE 51. FEMALE Vaccinated 1/5/2021. Died. 1/10/2021. Pfizer vaccine. On 1/8/2021 17:30 patient taken to ER, cerebellar hemorrhage, stroke, aneurysm.

VAERS ID # 946293-1 AGE 51. MALE Vaccinated 1/7/2021. Moderna . Became increasingly hypoxic around 1800hours on 1/7/2021. Transported to ER for acute on chronic hypoxia respiratory failure. Expired on 1/12/2021@2325 at med center.

VAERS ID # 918518-1 AGE 50. FEMALE Vaccinated 12/31/2020. Died 12/31/2020. Moderna

VAERS ID # 930910-1 AGE 52. FEMALE Vaccinated 1/8/2021. Died 1/8/2021. Patient received COVID vaccination 12:15pm. Patient was monitored for the appropriate amount of time by nursing staff. Patient passed away at 2:15pm. Moderna

VAERS ID # 933739-1 AGE 54. FEMALE. Vaccinated 1/8/2021. Died 1/10/2021. 2 days later. Staff member checked on her at 3am and patient stated that she felt like she couldn't breathe. 911 was called and taken to the hospital. While in the ambulance, patient coded. Two EEGs were given to determine that patient had no brain activity. Pfizer

VAERS ID # 923219-1 AGE 41. FEMALE Vaccinated 12/30/2021. Died. 1/1/2021. Pfizer vaccine. The patient did not experience any adverse event at the moment of inoculation with COVID-19 vaccine or the following days. On January 1, 2021, at lunch time, two days after receiving the vaccine, the patient was found unresponsive in her bed by her partner.

VAERS ID # 936805-1 AGE 25. MALE Vaccinated 12/22/2020. Found unresponsive and expired at home on 1/11. Moderna

VAERS ID # 943397-1 AGE 28. MALE Vaccinated 12/23/2020. Died 1/14/2021. Patient was found unresponsive at work in the hospital. Patient pupils were fixed and dilated. Pfizer

VAERS ID # 939050-1 AGE 32. FEMALE Vaccinated 12/28/2020. Died on 1/4/21 at 7:20am. Moderna

VAERS ID # 921667-1 AGE 39. FEMALE Vaccinated 12/29/2020. It was reported that the staff member deceased somewhere between 1/3/2021 and 1/4/2021. Pfizer

VAERS ID # 933578-1 AGE 43. MALE Vaccinated 1/8/2021. Died 1/9/2021. Moderna

VAERS ID # 937527-1 AGE 44. FEMALE Vaccinated 12/23/2020. Died on 1/4/2021. Pfizer

VAERS ID # 929764-1 AGE 45. MALE Vaccinated 12/28/2020. Died 12/29/2020. The patient was found deceased at home about 24 hours after immunization. Moderna

VAERS ID # 934968-1 AGE 54. MALE Vaccinated 1/4/2021. Died 1/6/2021. Pfizer. The patient received the vaccine on 04Jan2021, after which he started not feeling well. He went right home and went to bed. He woke up and ate a bit but not much and then was kind of pale. The patient then started to vomit, which continued throughout the night. He was having trouble in breathing. Emergency services were called, and they took his vitals and said that everything was okay, but he was very agitated; reported as not like this prior to the vaccine. The patient was taken to urgent care where they gave him an unspecified steroid shot and unspecified medication for vomiting. The patient continued to vomit throughout the day and then he was very agitated again and would fall asleep for may be 15-20 minutes. When the patient woke up, he was very restless (reported as: his body was just amped up and could not calm down). The patient calmed down just a little bit in the evening. When the patient was awoken at 6:00 AM in the morning, he was still agitated. The patient stated that he couldn't breathe, and his mind was racing. The patient's other brother went to him and he was not responsive, passed on 06Jan2021 around 10:15 AM. It was reported that none of the symptoms occurred until the patient received the vaccine.

VAERS ID # 942106-1 AGE 54. MALE Vaccinated 1/8/2021. Died 1/9/2021. Pfizer vaccine. On scene, the patient had a witnessed arrest with EMS starting CPR. He was given 3 rounds of epi without ROSC. Patient's wife, had noted patient had received covid vaccine the prior day.

VAERS ID: 924456-1, AGE 85 vaccination was administered at approx. 10:00 AM and the patient continued throughout day without any complaints or signs of adverse reaction. When the nursing staff went to the room to check on the resident patient was found unresponsive, no chest rises, noted regurgitated small amount of food to mouth left side.

VAERS ID # 928933-1 AGE 56. FEMALE Vaccinated on 12/23/2020. Died on 1/8/2021. Moderna.

VAERS ID # 935511-1 AGE 56. FEMALE Vaccinated 1/8/2021. Died 1/9/2021. Moderna. Patient received the 1st dose of Moderna and was found deceased in her home the next day.

VAERS ID # 941811-1 AGE 56. FEMALE Vaccinated 1/4/2021. Died 1/11/2021. Moderna. Resident began having fever on 1/11/21. Resident sent to nearest ER for evaluation. Later in the evening the staff AT Medical Center called to inform staff that resident had expired @ 2230 as a result of Respiratory Failure and Sepsis.

VAERS ID # 944595-1 AGE 56. MALE Vaccinated 1/12/2021. Died 1/14/2021. Pfizer. Cardiac arrest within 1 hour Patient had the second vaccine approximately 2 pm on Tuesday Jan 12th He works at the extended care community and was in good health that morning with no complaints. He waited 10-15 minutes at the vaccine admin site and then told them he felt fine and was ready to get back to work. He then was found unresponsive at 3 pm within an hour of the 2nd vaccine. EMS called immediately worked on him 30 minutes in field then 30 minutes at ER was able to put him on life support yet deemed Brain dead on 1-14-21 and pronounced dead an hour or so later.

VAERS ID # 921768-1 AGE 58. FEMALE Vaccinated 1/4/2021. Died 1/4/2021. Pfizer.

VAERS ID # 920815-1 AGE 58. FEMALE Vaccinated 12/30/2020. Died 1/4/2021. 6 days later. Moderna .

VAERS ID # 930154-1 AGE 60. MALE Vaccinated 1/5/2021. Died 1/8/2021. Moderna.

VAERS ID # 933090-1 AGE 60. MALE Vaccinated 1/5/2021. Died. 1/9/2021. Pfizer.

VAERS ID # 939270-1 AGE 48. MALE Vaccinated 12/22/2020. Died 12/31/2020. Pfizer

VAERS ID # 941743-1 AGE 60. FEMALE Vaccinated 1/12/2021. Died 1/13/2021. Moderna. Found deceased at 3am

VAERS ID # 932898-1 AGE 61. MALE Vaccinated 12/17/2020. Died. 12/30/2020. Pfizer vaccine. The patient had an apparent cardiac arrest on 12/23/20 and was admitted to the ICU. He was taken off of life support on 12/30/20.

VAERS ID # 942085-1 AGE 62. FEMALE Vaccinated 1/2/2021. Died 1/8/2021. Pfizer. On 1/8/21 at 0615 resident was shaking. Reported all over pain. At 0850 she was not responsive.

VAERS ID # 940955-1 AGE 66. FEMALE. Vaccinated 1/11/2021. Died 1/11/2021. Pfizer. Cardiac Arrest. Patient was found pulseless and breathless 20 minutes following the vaccine administration. Received the second dose of BNT162B2. Took the first dose on 21Dec2020. MD found no signs of anaphylaxis.

VAERS ID: 926600-1, 65yo Patient did not report any signs or symptoms of adverse reaction to vaccine. Patient reported not feeling well and passed away that day.

VAERS ID: 925154-1, 84yo DEATH within 1 day, no current illness.

VAERS ID: 926797-1, 93yo had a vaccination on 12/31/2020 late morning passed away early morning 01/01/2020.

VAERS ID: 927189-1, 74yo Patient was vaccinated at 11am and was found at the facility in his room deceased at approximately 3:00pm. Nurse did not have cause of death

VAERS ID: 927260-1, 87yo No adverse effects noted after vaccination. Patient found unresponsive at 16:45 on 1/6/21. Abnormal breathing patterns, eyes partially closed SPO2 was 41%, pulseless with no cardiac sounds upon auscultation. CPR, pulse regained, patient breathing. Patient sent to ER had multiple cardiac arrest and severe bradycardia and passed.

VAERS ID: 924664-1, 92yo No current illness. At 1855, I was alerted by caregiver, resident was not responding. Per caregiver, she was doing rounds and found resident in bed, unresponsive, mouth open, observed gurgling noises. Primary caregiver observed resident at baseline and ambulating after dinner at approximately, 1800 less than an hour prior to incident. Resident received the first dose of vaccine on 1/2. Expired at 0615 per Castle RN.

VAERS ID: 923993-1, 62yo Patient was vaccinated Dec 30, 2020. Prime dose of Moderna vaccine. Observed for full 15 minutes post-injection. No complaints when asked during observation. Released. Subsequently, vaccine clinic staff learned from the patient's supervisor that patient had expired on Jan 2, 2021 at his home.

VAERS ID: 909095-1, 66yo on 12/24/2020 the resident was sleepy and stayed in bed most of the shift. He stated he was doing okay but requested pain medication for his legs at 250PM. At 255AM on 12/25/2020 the resident was observed in bed lying still, pale, eyes half open and foam coming from mouth and unresponsive. He was not breathing and with no pulse.

VAERS ID: 924464-1, 61yo coughing up blood, significant hemoptysis -- > cardiac arrest. started day after vaccine

VAERS ID: 921768-1, 58yo Vaccine received at about 0900 on 01/04/2021 at her place of work, Medical Center, where she was employed as a housekeeper. About one hour after receiving the vaccine she experienced a hot flash, nausea, and feeling like she was going to pass out after she had bent down. Later at about 1500 hours she appeared tired and lethargic, then a short time later, at about 1600 hours, upon arrival to a friends home she complained of feeling hot and having difficulty breathing. She collapsed, when medics arrived, she was still breathing slowly then went into cardiac arrest and was unable to be revived.

VAERS ID: 910363-1, 84yo Patient had mild hypotension, decreased oral intake, somnolence starting 3 days after vaccination and death 5 days after administration.

VAERS ID: 913143-1, 84yo Vaccine administered with no immediate adverse reaction at 11:29am. Vaccine screening questions were completed and resident was not feeling sick and temperature was 98F. At approximately 1:30pm the resident passed away.

VAERS ID: 913733-1, 85yo My grandmother died a few hours after receiving the moderna covid vaccine booster 1. The treating hospital did not acknowledge this and I wanted to be sure a report was made.

VAERS ID: 914604-1, 74yo Spouse awoke 12/20 and found spouse dead. Client was not transferred to hospital.

VAERS ID: 914690-1, 83yo Within 24 hours of receiving the vaccine, fever and respiratory distress, and anxiety developed requiring oxygen, morphine and ativan. My Mom passed away on the evening of 12/26/2020.

VAERS ID: 914805-1, 63yo RESIDENT CODED AND EXPIRED

VAERS ID: 914895-1, 78yo Injection given on 12/28/20 - no adverse events and no issues yesterday; Death today, 12/30/20,

VAERS ID: 914917-1, 63yo Death by massive heart attack. Pfizer-BioNTech COVID-19 Vaccine EUA

VAERS ID: 914961-1, 88yo pt passed away with an hour to hour and 1/2 of receiving vaccine.

VAERS ID: 914994-1, 90yo pt was a nursing home pt. pt received first dose of covid vaccine. pt was monitored for 15 minutes after getting shot. staff reported that pt was 15 days post covid. Pt passed away with in 90 minutes of getting vaccine.

VAERS ID: 915562-1, 88yo pt received vaccine at covid clinic on 12/30 at approximately 3:30, pt vomited 4 minutes after receiving shot--dark brown vomit, Per staff report pt became short of breath between 6 and 7 pm that night. Pt passed away at approximately 10pm.

VAERS ID: 915682-1, 85yo Resident received vaccine per pharmacy at the facility at 5 pm. Approximately 6:45 resident found unresponsive and EMS contacted. Upon EMS arrival at facility, resident went into cardiac arrest, code initiated by EMS and transported to hospital. Resident expired at hospital at approximately 8 pm

VAERS ID: 915920-1, 96yo Resident was living in an assisted living facility. She fell on 11/24/2020 and was admitted to this facility for rehab. Received vaccine 12/28/2020 in am and expired that afternoon.

VAERS ID: 918065-1, 64yo Vaccine 12/30/2020. 1/1/2020: Pronounced deceased 1/1/2020

VAERS ID: 918388-1, 65yo Vaccine 12/30/2020. 1/1/2020: Resident found unresponsive without pulse, respirations at 04:30 CPR performed, expired at 04:52 by Rescue, No acute illness at time of vaccination.

VAERS ID: 918418-1, 65yo Vaccine 12/30/2020. 1/1/2020: Resident became SOB, congested and hypoxic requiring oxygen, respiratory treatments and suctioning. Stabilized after treatment and for the next 72 hours with oxygen saturations in the 90s. On 1/3/2021 was found without pulse and respirations.

VAERS ID: 918487-1, 94yo Two days post vaccine patient went into cardiac arrest and passed away.

VAERS ID: 915880-1, 99yo Patient died within 12 hours of receiving the vaccine.

VAERS ID: 918518-1, 50yo syncopal episode - arrested - CPR - death

VAERS ID: 919108-1, 100yo Fever, Malaise, passed the day after vaccine.

VAERS ID: 919537-1, 96yo Resident exhibited no adverse events during 30 minute monitoring following vaccine administration. Resident found without pulse at 1900.

VAERS ID: 920326-1, 89yo Redness and warmth with edema to right side of neck and under chin. Resident expired on 1.1.21.

VAERS ID: 920545-1, 93yo "The resident received is vaccine around 11:00 am and tolerated it without any difficulty or immediate adverse effects. He was at therapy from 12:36 pm until 1:22 pm when he stated he was too tired and could not do anymore. The therapist took him back to his room at that time and he got into bed himself but stated his legs felt heavy. At 1:50 pm the CNA answered his call light and found he had taken himself to the bathroom. She stated that when he went to get back into the bed it was ""abnormal"" how he was getting into it so she assisted him. At that time he quit breathing and she called a RN into the room immediately. He was found without a pulse, respirations, or blood pressure at 1:54 pm.

VAERS ID: 920815-1, 58yo Found deceased in her home, unknown cause, 6 days after vaccine.

VAERS ID: 920832-1, 104yo Vaccine 12/30/2020 Screening PCR done 12/31/2020 Symptoms 1/1/2021 COVID test result came back positive 1/2/2021 Deceased 1/4/2021

VAERS ID: 921175-1, 77yo Resident received Covid Vaccine, noted after 30 mins with labored breathing BP 161/77, HR 116, R 38, T 101.4, epipen administered, sent to ER, died

VAERS ID: 921481-1, 88yo Vaccine given on 12/29/20 by Pharmacy. On 1/1/21, resident became lethargic and sluggish and developed a rash on forearms. Resident expired on 1/4/2021

VAERS ID: 921547-1, 65yo RESIDENT RECIEVED VACCINE ON 1/2/20. DEATH ON 1/4/2021.

VAERS ID: 921572-1, 87yo Resident had body aches, a low O2 sat and had chills starting on 12/30/20. He had stated that they had slightly improved. On 1/2/21 during the NOC shift his O2 sat dropped again. He later went unresponsive and passed away.

VAERS ID: 921667-1, 39yo LTCF Pfizer Vaccine clinic conducted 12/29/2020 Vaccine lead received a call indicating that a staff member deceased somewhere between 1/3/2021 and 1/4/2021. Cause of death is unknown, and an autopsy is being performed.

VAERS ID: 921880-1, 96yo The resident was found deceased a little less than 12 hours following COVID vaccination.

02/19/21

One-Third of Deaths Reported to CDC After COVID Vaccines Occurred Within 48 Hours of Vaccination

The numbers reflect the latest data available as of Feb. 12 from the CDC's Vaccine Adverse Event Reporting System website. Of the 929 reported deaths, about one-third occurred within 48 hours.

As is consistent with [previous VAERS data reports](#), 192 of the reported deaths — or 21% — were cardiac-related. As [The Defender reported](#) earlier this month, Dr. J. Patrick Whelan, a pediatric rheumatologist, warned the U.S. Food and Drug Administration in December that [mRNA vaccines](#) like those developed by [Pfizer](#) and [Moderna](#) could cause heart attacks and other injuries in ways not assessed in safety trials.

Of the 929 deaths reported since Dec. 14, 2020, the average age of the deceased was 77.8 and the youngest was 23. Fifty-two percent of the reported deaths were among men, 45% were women and 3% are unknown. Fifty-eight percent of the deaths were reported in people who received the Pfizer vaccine, and 41% were related to the Moderna vaccine.

States with the [highest reported number](#) of deaths were: California (71); Florida (50); Ohio (38); New York (31); Kentucky (41); Michigan (31); and Texas (31).

According to the latest data, [3,126 "serious" adverse reactions](#) have been reported. Adverse reaction reports from the latest CDC data also include:

- [34 miscarriages and pre-term births](#)
- 917 [anaphylactic reactions](#), 70% of which were reported after a [Pfizer](#) vaccine and 30% after the [Moderna](#) vaccine
- [Bell's palsy](#) (Pfizer 75%; Moderna: 25%)

So far, only Pfizer and Moderna vaccines — approved for [emergency use](#), but not fully licensed — are being used in the U.S.

FDA has had 10 months to get a safety monitoring system in place, but is nowhere near implementing one!

Meanwhile, the FDA has not yet implemented systems to monitor the safety of the [experimental COVID vaccines](#). FDA officials [told The New York Times](#) they don't expect the systems to be up and running before the Biden administration reaches its goal of vaccinating 100 million Americans — nearly one third of the U.S. population.

UK Adverse Events 'Yellow Card' Reports

[UPDATED AS OF FEB. 21:](#)

NUMBER OF DEATHS REPORTED: 460

NUMBER OF REPORTS FILED: 72,920

TOTAL NUMBER OF ADVERSE REACTIONS REPORTED: 243,050

Note: The UK only counts deaths within 1 week of vaccination. More detailed data can be found at the link above (scroll down to Vaccine Analysis Profile links).

[Summary of UK Data](#) as of Jan. 24:

AdapNation.io
COVID-19 ANALYSIS

MHRA have just released Vaccine ADR Data

Published by MHRA on 5th Feb 2021, this data is up until 24th Jan 2021

	Pfizer/Biontech	Oxford/AZ
Start Date	08/12/2020	04/01/2021
Days including within report	47	20
1st Doses	5,400,000	1,500,000
2nd Doses	500,000	
Suspected Reactions	49,472	21,032
Yellow Card Reports	16,756	6,014
Deaths (with 7 days*)	107	34

Reported Adverse Reactions	Volume	Fatal	Volume	Fatal
Coronavirus Infections	244	11	16	1
Deaths	67	61	27	21
Blood Disorders	1,152		108	
Cardiac Disorders	590	12	212	1
Congenital Disorders	1			
Ear Disorders	334		76	
Endocrine Disorders	2		1	
Eye Disorders	634		246	
Gastrointestinal Disorders	5,314	5	2,258	
General Disorders	16,682		7,858	1
Hepatic Disorders	8		1	
Immune System Disorders	248		45	
Infections	704	6	305	4
Injuries	172		61	
Investigations	538		261	
Metabolic Disorders	290	1	218	1
Muscle & Tissue Disorders	6,746		2,834	
Neoplasms	2		1	
Nervous System Disorders	9,205	5	4,488	3
Pregnancy conditions	8		6	
Other	6		2	
Psychiatric Disorders	665		357	
Renal & Urinary Disorders	98		57	
Reproductive & Breat Disorders	135		36	
Respiratory Disorders	1,880	5	453	1
Skin Disorders	3,154	1	930	1
Social Circumstances	9		6	
Surgical & Medical Procedures	15		11	
Vascular Disorders	570		158	

OBSERVATIONS:

- Doses have been delivered on a continuous timeline, making it **difficult to assess time-based effects**. Long-term effects will be harder still to link back to vaccination.
- Once standardised, **Oxford/AZ vaccine** presents 53% more suspected reactions, 29% more reports, and 14% more suspected deaths compared to Pfizer vaccine**
- MHRA apply **significant effort to assess causality, coincidence and divergence** from background rates - stressing these are suspected side effects of vaccination.
- MHRA explain that most of the reports relate to the very elderly, many of which also have pre-existing conditions. As old age and chronic underlying illnesses make it more likely for health events to occur, **careful review is needed to distinguish between side effects and illness that would have occurred irrespective**.
- Post-vaccine Deaths seem to **recorded only up to seven days after** a Yellow Card report.
- The exclusion of some deaths not being regarded as "fatal" is a head scratcher.
- Data regarding timing of **COVID infections and fatalities** must be shared and scrutinised.

QUESTION - WHY IS THE SAME LOGIC AND SCRUTINY NOT APPLIED TO THE REPORTING OF COVID (PCR POSITIVE) DEATHS?

SOURCE: <https://www.gov.uk/government/publications/coronavirus-covid-19-vaccine-adverse-reactions>

BREAKING: UK gov't says over 240 people in Britain died shortly after receiving COVID jab

The report included in its ancillary material the information that a total of 8 miscarriages have been reported

LONDON, England, February 11, 2021 ([LifeSiteNews](#)) — A U.K. government vaccine safety review has revealed that 244 people, including 8 unborn babies, have died in Britain shortly after receiving one of two coronavirus vaccines. The government has said that it does not believe the inoculations are responsible.

An extensive report produced by the U.K. government today has detailed all the suspected side effects, including death, reported by medical staff or the people who received at least one Covid-19 vaccine between early December 2020 and January 31, 2021. The two vaccines currently in use in the U.K. are the Pfizer/BioNTech and the Oxford University/AstraZeneca. They were authorized by the country's Medicines and Healthcare products Regulatory Agency (MHRA).

The MHRA monitors the safety of the vaccines as they are used on the public, and to this end they introduced a "Yellow Card Scheme" to collect reports of any suspected side effects. 20,319 Yellow Card reports, including a total of 59,614 suspected adverse reactions, were made regarding the Pfizer vaccine. 11,748 were made regarding the AstraZeneca vaccine, which was rolled out only on January 4, 2021. 72 Yellow Card reports did not specify which vaccine was used.

According to the report:

The MHRA has received 143 UK reports of suspected ADRs to the Pfizer/BioNTech vaccine in which the patient died shortly after vaccination, 90 reports for the Oxford University/AstraZeneca vaccine and 3 where the brand of vaccine was unspecified.

The report included in its ancillary material the information that 5 miscarriages were reported after the use of the Pfizer vaccine and 3 after the Oxford vaccine.

Suspected adverse reactions after receiving Pfizer/BioNTech vaccine

A total of **59,614 suspected side effects** were recorded after use of the Pfizer/BioNTech vaccine.

The [link to the Pfizer vaccine analysis](#) shows clearly that **1,437 blood disorders** have been reported after inoculation, 1,204 of them being lymphadenopathy (enlarged or swollen lymph nodes). **712 cardiac disorders** were reported, notably palpitations (303) and a speeding heart rate (230). **445 ear disorders** were reported, including vertigo (146), ear pain (122), and varying amounts of hearing loss (31).

However, there have been reports of more serious damage associated with the vaccine, notably anaphylaxis and Bell's Palsy. Now 130 "spontaneous adverse reactions associated with anaphylaxis or anaphylactoid reactions" in Britain have been reported for the Pfizer vaccine, and 30 have been reported for the Oxford vaccine. Bell's Palsy, which involves facial paralysis or weakening of the facial muscles, has been reported 99 times for the Pfizer vaccine and 15 times for the Oxford vaccine. The MHRA says that because this ailment "can also occur naturally, an association with the vaccine is not yet confirmed."

There were **224 injuries** reported, and **357 metabolic disorders**, of which 252 were decreased appetite. **8,129 muscle and tissue disorders** were mentioned, of which 2,690 were muscle pain and 1,704 were joint pain. **11,160 nervous disorders** were reported, including 5,506 headaches, 1,546 cases of dizziness, 45 seizures, 15 cases of paralysis, and 1 case of locked-in syndrome. There were **5 miscarriages** reported.

Of the **830 psychiatric disorders** reported, 162 were insomnia, 112 cases of being in a confused state, and 73 bouts of anxiety. Of the **120 renal & urinary disorders**, 35 were renal pain and 12 were urinary incontinence. There were **187 reproductive and breast disorders** mentioned, of which 31 were breast pain and 22 menorrhagia (heavy periods).

There were **2,397 respiratory disorders** reported, including 520 cases of difficulty in breathing, 483 sore throats, and 426 cases of coughing. **3,947 skin disorders** were reported, including at least 796 rashes and 776 cases of itchiness. The **676 vascular disorders** on record included 182 hot flushes.


There were **823 references to eye disorders**, including 145 reports of eye pain, 126 of blurred vision, and 5 of blindness. **6,605 gastrointestinal disorders** were reported, among them 2,889 cases of nausea, 924 cases of diarrhea, 775 cases of vomiting, and 283 cases of upper abdominal pain. Of the **19,354 "general disorders"** reported, 4,007 were cases of fatigue, 3,665 were fevers, 2,310 were chills, 773 referred to vaccination site pain, 491 were "influenza-like illnesses." There were **308 immune system disorders**, mostly hypersensitivity (146) and anaphylactic reactions (116).

Ironically, there were **1,186 reported infections**, including 308 cases (including "suspected cases") of Covid-19 itself, 231 cases of influenza, and 154 upper respiratory tract infections.

EUROPEAN ADVERSE EVENTS MONITORING AGENCY


The EU also has a passive vaccine adverse events monitoring system. Here are stats on the Moderna, Pfizer and newcomer AstraZeneca vaccines, which does not include reported deaths.

For the Moderna vaccine, as of March 6 there are 4,495 reports that include the following adverse reactions (purple is serious, red is non-serious):




Note the large number of reports of serious blood and lymphatic system disorders, cardiac disorders, eye disorders, gastrointestinal disorders, immune system disorders, musculoskeletal and connective tissue disorders, nervous system disorders, respiratory disorders and vascular disorders.

For the Pfizer vaccine, as of March 6 there are 89,239 reports including the following adverse events (purple is serious, red is non-serious):



Note the large number of reports of serious blood and lymphatic system disorders, cardiac disorders, eye disorders, gastrointestinal disorders, immune system disorders, musculoskeletal and connective tissue disorders, nervous system disorders, respiratory disorders and vascular disorders.

For the [AstraZeneca/Oxford vaccine](#) (approved end of January), as of March 6 there are already 21,172 reports including the following adverse events (purple is serious, red is non-serious):



Note that compared to the other vaccines, reports on this one tend to skew more serious. Also note the large number of reports of serious blood and lymphatic system disorders, cardiac disorders, eye disorders, gastrointestinal disorders, immune system disorders, musculoskeletal and connective tissue disorders, nervous system disorders, respiratory disorders and vascular disorders.

Researchers release data showing 'significant mortality' from vaccine' in Israel

Arutz Sheva
www.israelnationalnews.com

Vaccination in Israel: Challenging mortality figures?

Mordechai Sones, Feb 18, 2021 8

A front-page article appeared in the *FranceSoir* newspaper about findings on the *Nakim* website regarding what some experts are calling "the high mortality caused by the vaccine."

The paper interviews University of Aix-Marseille University Faculty of Medicine Emerging Infectious and Tropical Diseases Unit's Dr. Hervé Seligmann and engineer Haim Yativ about their research and data analysis. They claim that Pfizer's experimental shot causes "mortality hundreds of times greater in young people compared to mortality from coronavirus without the vaccine, and dozens of times more in the elderly, when the documented mortality from coronavirus is in the vicinity of the vaccine dose, thus adding greater mortality from heart attack, stroke, etc."

Dr Hervé Seligmann works at the Emerging Infectious and Tropical Diseases Research Unit, Faculty of Medicine, Aix-Marseille University, Marseille, France. He is of Israeli-Luxembourg nationality. He has a B. Sc. In Biology from the Hebrew University of Jerusalem, and has written over 100 scientific publications.

FranceSoir writes that they follow publications, data analyzes, and feedback from various countries on vaccination, and have therefore taken an interest in the *Nakim* article, asking to interview them in order to understand their analysis and its limitations.

The authors of the article declare they have no conflicts or interests other than having children in Israel.

After a presentation, the authors discussed their data analysis, the validations carried out, limitations, and above all, their conclusions that they compare with data received via a Health Ministry Freedom of Information Act request.

Their findings are:

- There is a mismatch between the data published by the authorities and the reality on the ground.
- They have three sources of information, besides the emails and adverse event reports they receive through the Internet. These three sources are Israeli news site *Ynet*, the Israeli Health Ministry database, and the U.S. federal Vaccine Adverse Event Reporting System (**VAERS**) database.
- In January 2021, there were 3,000 records of vaccine adverse events, including 2,900 for mRNA vaccines.
- Compared to other years, mortality is 40 times higher.
- On February 11, a *Ynet* article presented data related to vaccination. The authors of the *Nakim* article claim to have debunked this analysis based on data published by *Ynet* itself: "We took the data by looking at mortality during the vaccination period, which spans 5 weeks. By analyzing these data, we arrived at startling figures that attribute significant mortality to the vaccine."
- The authors say "vaccinations have caused more deaths than the coronavirus would have caused during the same period."
- Haim Yativ and Dr. Seligmann declare that for them, "this is a new Holocaust," in face of Israeli authority pressure to vaccinate citizens.

"Our reanalyses of these data explain why during the massive vaccination project initiated mid-December 2020 during a confinement, daily new confirmed COVID-19 cases failed to decrease as they do during confinements, and, more importantly, why numbers of serious, critical, and death cases increased during that period that covered at least one month. From mid-December to mid-February (two months), 2,337 among all Israeli 5,351 official COVID-deaths occurred. Our analyses indicate orders of magnitude increases in deaths rates during the 5-week long vaccination process, as compared to the unvaccinated and those after completing the vaccination process. Presumably, asymptomatic cases before vaccination, and those infected shortly after the 1st dose, tend to develop graver symptoms than those unvaccinated.


"The *Ynet* article is organized in an exciting way and uses data provided in an erroneous way by the Ministry of Health. It is unclear whether this was intentional to prove the vaccine's efficiency or if this was done erroneously because the provided data were misunderstood. Note that in Israel, all vaccines are from Pfizer.

"The data in the table, rather than indicating the vaccine efficacy, indicate the vaccine's adverse effects," the authors conclude.

Sources:

<http://www.nakim.org/israel-forums/viewtopic.php?t=270812>

Many reports of death following vaccination worldwide



Portuguese health worker, 41, dies two days after getting the Pfizer covid vaccine as her father says he 'wants answers'

By Natalia Penza For The Mailonline
10:20 EST 04 Jan 2021, updated 10:52 EST 04 Jan 2021



01/18/21 • BIG PHARMA • NEWS

China Health Experts Call for Suspension of COVID Vaccines as Norway Investigates 33 Deaths, Germany Probes 10 Deaths

Norway upped the number of deaths under investigation, from 23 last week to 33, while in Germany, health officials said they are investigating 10 deaths that occurred among elderly patients who received the COVID vaccine.



Placer County Sheriff's Office

14h •

Placer County Public Health and the Placer County Sheriff-Coroner Division were recently notified of the death of an individual who tested positive for COVID-19 in late December.

The individual was administered a COVID-19 vaccine several hours before their death on January 21, 2021.

Nine health workers have died in vaccine rollout. India must disclose status of probe into each case

The deaths of nine health workers following administration of the Covid-19 vaccine in the 12 days since the start of the immunisation programme on January 16 is cause for concern.

The deaths were reported from Uttar Pradesh, Karnataka, Andhra Pradesh, Rajasthan, Telengana, Gurugram and Odisha. The six men and three women who died were between 27 and 56 years old. The deaths took place between 24 hours and five days of taking the vaccines and all have been ascribed to cardiovascular problems or "brain stroke".

Participant in India's AstraZeneca Covid-19 vaccine trial sues after experiencing 'severe adverse effect'

02 JAN 2021 10:12

Priest who volunteered for COVID-19 vaccine trial passes away



Sat, 12/05/2020 - 01:56 — legitgov

Priest who participated in trial for Moderna vaccine dies suddenly | 02 Dec 2020 | A Ukrainian Greek-Catholic priest, who was previously a volunteer in the testing of Moderna's COVID-19 vaccine, has died suddenly in his home. It is still unclear if the 70-year-old's death is related to the vaccine. Fr. John Fields was the Communications and Director for the Archeparchy of Philadelphia, which Greek-Catholic Church. Announcing his death, the Archeparchy **stated** that Fr. Fields "has passed away in his home. The cause of death is yet to be determined." Fr. Fields turned 70 this year. Just recently, Fields had participated in the trials of Moderna's COVID-19 vaccine, after receiving an email from the University of Pennsylvania at the end of August, asking if he wished to "participate in the third and final phase" of the vaccine trial.

Swiss Patient Dies Shortly After Receiving Pfizer COVID Vaccine



BY TYLER DURDEN

WEDNESDAY, DEC 30, 2020 - 8:55

After [an Israeli man reportedly died just 2 hours](#) after receiving his first dose of the COVID-19 vaccine, authorities in the Swiss Canton of Lucerne said on Wednesday that one of the first people in the country to receive the vaccine has died, though whether his death had anything to do with the inoculation hasn't yet been determined.

THE TIMES OF ISRAEL

LIVE UPDATE / FROM THE LIVEBLOG OF TUESDAY, JANUARY 12, 2021

Backtracking, Netanyahu says Gafni didn't have heart attack

Moments after announcing that MK Moshe Gafni has been hospitalized with a heart attack, Prime Minister Benjamin Netanyahu says that's "fake news."

"He just got a [coronavirus] vaccine," says Netanyahu.



A Man and Woman in South Dakota Die a Day After Getting COVID-19 Vaccines

by TVR Staff

Published January 24, 2021 | Vaccination, Risk & Failure Reports

BREAKING: UK gov't says over 240 people in Britain died shortly after receiving COVID jab

MOST of these people would have survived COVID (based on published survival statistics)



Health care workers receive a COVID-19 vaccination at Ritchie Valens Recreation Center in Pacoima, Calif., on Jan. 13, 2021. (Marcio Jose Sanchez/AP Photo)

PUBLIC HEALTH INFORMATION PREMIUM

55 People Died in US After Receiving COVID-19 Vaccines: Reporting System

BY ZACHARY STIEBER | January 16, 2021 Updated: January 16, 2021

Fifty-five people in the United States have died after receiving a COVID-19 vaccine, according to reports submitted to a federal system.

Deaths have occurred among people receiving both the Moderna and the Pfizer-BioNTech vaccines, according to the reports.

One man, a 66-year-old senior home resident in Colorado, was sleepy and stayed in bed a day after getting Moderna's vaccine. Early the next morning, on Christmas Day, the resident "was observed in bed lying still, pale, eyes half open and foam coming from mouth and unresponsive," the VAERS report states. "He was not breathing and with no pulse."

In another case, a 93-year-old South Dakota man was injected with the Pfizer-BioNTech vaccine on Jan. 4 around 11 a.m. About two hours later, he said he was tired and couldn't continue with the physical therapy he was doing any longer. He was taken back to his room, where he said his legs felt heavy. Soon after, he stopped breathing. A nurse declared a

Since this article was published, VAERS has recorded **18,541** COVID vaccine adverse reactions including:

929 deaths

316 permanent disabilities

5,000 ER / hospitalizations

Source: <https://wonder.cdc.gov/vaers.html>

This doctor would have had a 99.5% chance of surviving COVID but he died from ITP (vaccine reaction)



Death of Florida doctor after receiving COVID-19 vaccine under investigation

Karen Weintraub USA TODAY

Published 9:00 p.m. ET Jan. 6, 2021 | Updated 9:26 a.m. ET Jan. 7, 2021

A Florida doctor has died several weeks after receiving a COVID-19 vaccine, although it's not yet clear whether his death Monday was related to the shot he received on Dec. 18.

Dr. Gregory Michael, 56, an OB-GYN at Mount Sinai Medical Center in Miami Beach, died after suffering a hemorrhagic stroke apparently resulting from a lack of platelets.

In a [Facebook post](#), Michael's wife, Heidi Neckelmann, said he sought emergency care three days after the shot because he had dots on his skin that indicated internal bleeding.



Heidi Neckelmann

January 5 at 11:00 PM · 🌐

The love of my life, my husband Gregory Michael MD an Obstetrician that had his office in Mount Sinai Medical Center in Miami Beach Died the day before yesterday due to a strong reaction to the COVID vaccine.

He was a very healthy 56 year old, loved by everyone in the community delivered hundreds of healthy babies and worked tirelessly through the pandemic.

He was vaccinated with the Pfizer vaccine at MSMC on December 18, 3 days later he saw a strong set of petechiae on his feet and hands which made him seek attention at the emergency room at MSMC. The CBC that was done at his arrival showed his platelet count to be 0 (A normal platelet count ranges from 150,000 to 450,000 platelets per microliter of blood.) he was admitted in the ICU with a diagnosis of acute ITP caused by a reaction to the COVID vaccine. A team of expert doctors tried for 2 weeks to raise his platelet count to no avail. Experts from all over the country were involved in his care. No matter what they did, the platelets count refused to go up. He was conscious and energetic through the whole process but 2 days before a last resort surgery, he got a hemorrhagic stroke caused by the lack of platelets that took his life in a matter of minutes.

I believe that people should be aware that side effects can happened, that it is not good for everyone and in this case destroyed a beautiful life, a perfect family, and has affected so many people in the community Do not let his death be in vain please save more lives by making this information news.

Autoimmune means that something in the vaccine may be provoking the body to create antibodies to its own platelets, could be because of molecular mimicry, or cross reactivity between proteins.

ITP has been documented to occur after the MMR vaccine, as well as influenza vaccines, DTP vaccine and hepatitis A vaccines.

Why was no one warned that immune thrombocytopenia is a reaction to the COVID vaccine?

The New York Times

A Few Covid Vaccine Recipients Developed a Rare Blood Disorder

By Denise Grady

Feb. 8, 2021 Updated 5:07 p.m. ET

One day after receiving her first dose of Moderna's Covid vaccine, Luz Legaspi, 72, woke up with bruises on her arms and legs, and blisters that bled inside her mouth.

She was hospitalized in New York City that day, Jan. 19, with a severe case of immune thrombocytopenia — a lack of platelets, a blood component essential for clotting.

The same condition led to the death in January of Dr. Gregory Michael, 56, an obstetrician in Miami Beach whose symptoms appeared three days after he received the Pfizer-BioNTech vaccine. Treatments failed to restore his platelets, and after two weeks in the hospital he died from a brain hemorrhage.

"I think it is possible that there is an association," Dr. James Bussel, a hematologist and professor emeritus at Weill Cornell Medicine who has written more than 300 scientific articles on the platelet disorder, said in an interview. "I'm assuming there's something that made the people who developed thrombocytopenia susceptible, given what a tiny percentage of recipients they are."

He added: "Having it happen after a vaccine is well-known and has been seen with many other vaccines. Why it happens, we don't know."


Ms. Legaspi was strong and in good health before receiving the Moderna vaccine. But when she was admitted to the city hospital in Elmhurst, Queens, her platelet count was zero. Normal readings range from 150,000 to 450,000, and anything under 10,000 is considered very dangerous and in urgent need of treatment.

Doctors ordered Ms. Legaspi to not even get out of bed without help, for fear that if she fell and injured herself she could hemorrhage. They began giving her the standard treatments, including platelet transfusions along with steroids and immune globulins meant to stop her immune system's war on her platelets.

Nothing worked. Her platelets would rise a bit and then crash again between treatments.

As the days passed with no progress, Ms. Legaspi's daughter, aware of Dr. Michael's death, worried increasingly that her mother would suffer a brain hemorrhage.

"I don't think she understands she's like a ticking bomb," the daughter said in an interview on Jan. 28, after her mother had been in the hospital for more than week with no improvement. "I don't use the term. I don't want to tell her that."



Dr. Gregory Michael



Ms. Legaspi,

Another vaccine recipient, Sarah C., 48, a teacher in Arlington, Tex., received the Moderna vaccine on Jan. 3. She asked that her full name not be used to protect her privacy.

Two weeks later, she began to have heavy vaginal bleeding. After two days she saw her obstetrician, who ordered blood work and scheduled other tests. A few hours later, he called and urged her to go straight to the emergency room. He was stunned and hoped it was a lab error, but her blood count showed zero platelets. She had had a checkup with completely normal blood-test results less than a week before being vaccinated.

The reading of zero platelets was not a lab error. The results were confirmed in the emergency room, and doctors there also noticed red spots on her wrists and ankles, caused by hemorrhages under the skin. Sarah C. had seen the spots, but ignored them.

She spent four days in the hospital, receiving platelet transfusions, immune globulins and steroids to restore her platelet count.

She described the experience as terrifying. "Especially when people say they'd never seen this before, that you could bleed out or hemorrhage," she said. "That was the biggest concern, and just not knowing. The gentleman in Florida, he didn't make it. Certainly the fear was there."

If she had known enough to recognize the red spots and bleeding as danger signs, she said, she would have gone to the emergency room much sooner.

X-ray tech in ER within hours of shot. Within hours suffered congestive heart failure, dialysis...death

THE ORANGE COUNTY REGISTER

NEWS • News

Health care worker dies after second dose of COVID vaccine, investigations underway

Tim Zook's last post on Facebook brimmed with optimism. "Never been so excited to get a shot before," he wrote on Jan. 5, above a photo of the Band-Aid on his arm and his COVID-19 vaccination card. "I am now fully vaccinated after receiving my 2nd Pfizer dose."

Zook, 60, was an X-ray technologist at South Coast Global Medical Center in Santa Ana. A couple of hours later, he had an upset stomach and trouble breathing. By 3:30 p.m. it was so bad his colleagues at work walked him to the emergency room. "Should I be worried?" his wife, Rochelle, texted when she got the news. "No, absolutely not," he texted back. "Do you think this is a direct result of the vaccine?" she typed. "No, no," he said. "I'm not sure what. But don't worry."

There were suspicions of COVID and a diagnosis of congestive heart failure. Zook was put on oxygen, then — just four hours later — a BiPAP machine to help push air into the lungs. Multiple tests came back negative for COVID.

Shortly after midnight on Jan. 7, the hospital called. Zook was in a medically induced coma and on a ventilator to help him breathe. But his blood pressure soon dropped and he was transferred to UC Irvine Medical Center. "On Friday I get a call, 'His kidneys are failing. He needs to be on dialysis. If not, he could die — but there's also a chance he might have a heart attack or stroke on dialysis because his blood pressure is so low,'" Rochelle Zook said.

By 4 a.m. Saturday, Jan. 9, Zook had gone "code blue" twice and was snatched back from the brink of death. There was a third code blue in the afternoon. "They said if he went code blue a fourth time, he'd have brain damage and be a vegetable if he survives," Rochelle Zook said.


Later that day, Tim Zook died.



Tim Zook

January 5 at 11:24 AM · 🌐

Never been so excited to get a shot before. I am now fully vaccinated after receiving my 2nd Pfizer dose.



This photo of Rochelle and Tim Zook was Zook's Facebook profile picture.

More deaths within minutes / hours of vaccine



Gloucester resident dies within hours of receiving Pfizer vaccine

58-year-old Gloucester resident Drene Keyes was a gifted singer, a mother and grandmother of six.

Unexpectedly, Lisa lost her mother on Saturday within a couple of hours after Keyes received the Pfizer vaccine in Warsaw.

"Right before she left, I was helping her put her shoes on," she said.

Keyes had diabetes, sleep apnea and was obese. Her job made her eligible for the first dose. So, on Saturday, Keyes got the Pfizer vaccine and spent 15 minutes in the mandatory observation period.

The coworker she was with said she was trying to get in the car and said, "Something is not right. Something's not right."

She was quickly rushed to Riverside Appahannock Hospital.

"They tried to remove fluid from her lungs. They called it 'flash pulmonary edema,' and doctors told me that it can be caused by anaphylaxis," said Jones. "The doctor told me that often during anaphylaxis, chemicals are released inside of a person's body and can cause this to happen."

Jones believes more research needs to be done, especially for those with underlying health issues.

"Why are we allowing people with underlying conditions to be guinea pigs for a vaccine that is still in clinical trials and emergency use?"

Jones questioned.



Former Detroit TV Anchor Dies One Day After Taking COVID Vaccine

(CBS DETROIT) – Karen Hudson-Samuels' career in broadcast journalism spanned over four decades in Detroit.

The Detroit media icon was found dead at her home by her husband last Tuesday, just one day after taking the COVID-19 vaccine but the official cause of her death is still unknown.



Watch Live

NY man dies shortly after vaccination

By Luke Funk | Published 7 hours ago | Updated 6 hours ago | Coronavirus Vaccine

NEW YORK - A man died shortly after receiving a COVID-19 vaccination at the Javits Center in Manhattan but it was not believed to be due to an allergic reaction, state officials say.

The man, in his 70s, collapsed as he was leaving the vaccination site on Sunday morning.

"On-site security and first responders were by his side within seconds, but sadly the man passed away a short time later at a hospital," New York State health Commissioner Howard Zucker said in a statement to [Fox5NY.com](https://www.fox5ny.com).

The incident occurred approximately 25 minutes after he was vaccinated period.



CA woman, 78, gets COVID-19 vaccine, then suddenly dies of something else ???

By Elizabeth Elizalde

February 14, 2021 | 12:23am |

The woman "passed away unexpectedly" Friday after receiving Pfizer's version of the Covid-19 vaccine about noon at the Kaiser-run site at Cal Poly Pomona, 30 miles east of downtown Los Angeles, the doctor said.

"While seated in the observation area after the injection, the patient complained of feeling discomfort and while being evaluated by medical personnel, she lost consciousness," he said. "Paramedics on scene began CPR almost immediately and continued, but she ultimately could not be revived."

She required CPR within 15 minutes of shot but media claims her death was not related to vaccine (without evidence or autopsy results)

India demands investigation after 19 young health workers die within hours/days of vaccine



19 health workers dead after COVID-19 vaccination; health experts demand investigation



On February 1, 47-year-old Mannu Pahan, a health worker from Ranchi in Jharkhand, died within 48 hours after being vaccinated against COVID-19. He died at the Medanta Hospital and his body has been sent for a post mortem. Pahan is one of the 19 health workers in the country to lose his life after receiving the COVID-19 vaccination since the launch of COVID-19 immunisation drive on January 16.

While the government has denied any connection between the deaths and the vaccine, the country's public health officials, wrote to the Union ministry of health and family welfare on January 31, raising questions and demanding an immediate investigation into the deaths.

The letter also demanded that the minutes of AEFI committees formed at the national, state and district levels on adverse incidents arising post-vaccination, be made public. The letter drew attention to several facts: the death of health workers has occurred within a few hours to up to five days after taking COVID-19 vaccine; the deceased were aged between 23 and 56 years; media reports highlighted cardiovascular problems or brain trauma as the cause behind each of the deaths; "So far, most of the cases of COVID-19 vaccine deaths have reportedly been due to cardiovascular and brain trauma. All these groups need to be examined immediately so that, at least, the reasons behind it are known," Amar Jesani, an independent consultant, researcher and teacher in bioethics and public health told *Gaon Connection*. He is also editor of *Indian Journal of Medical Ethics*, and one of the signatories of the letter. Jesani urged that the investigations be made public so that

More News Reports from India

edex

Read in App

हिंदी >

HOME INDIA NEWS ENTERTAINMENT PHOTOS

News

Kerala dental student dies from COVID after receiving vaccine jab, hospital denied proper treatment, allege classmates

28th Feb 2021 02:03 PM | Parvathi Benu

Home > News > India

Delhi Sanitation Worker Dies Days After Receiving Covishield Vaccine

The deceased's son said that he was administered Covishield vaccine on February 17 and started feeling unwell from the next day.

Published: February 23, 2021 7:49 AM IST

By [India.com News Desk](#)

Edited by [Kritika Bansal](#)

Anganwadi worker dies after Covid jab in Andhra Pradesh

Express News Service | Published: 23rd February 2021

08:29 AM

✉

f

t

TOI

OPEN APP

MORE FROM TOI

Top News

Auto News

Tim Foo

Ad

CITY

Teacher dies days after vaccination in Andhra Pradesh

Ujjwal Bommakanti | TNN | Updated: Feb 20, 2021, 12:20 IST

✉

f

t

in

✉

...

THE FREE PRESS

HOME INDIA CITY WORLD BUSINE

CITY

Barwani: 60-year-old clerk dies after second corona vaccine dose, death creates panic

01:46 PM Feb 24, 2021 | FP News Service

✉

f

in

t

t

✉

The Indian EXPRESS

Home / India

Nine days after vaccine shot, ASHA worker dies in Haryana's Panipat

However, Chief Medical Officer Dr Santal Verma said that Kavita did not die due to Covid-19 vaccine. He added that she was suffering from tumor and that could have been cause of her death.

By: [Express News Service](#) | Chandigarh | February 12, 2021 10:11:11 pm

Outlook

Magazine India Opinion Videos Photos

22 February 2021 | National

Anganwadi Worker Dies After Covid-19 Vaccination Govt Orders Probe

This is the first such case of death involving an Anganwadi worker who had taken a vaccination shot her home district 23 days back.

ASHWANI SHARMA

56-year-old healthcare worker in Odisha dies after receiving second dose of COVID-19 vaccination

Express News Service | Published: 22nd February 2021

08:13 AM

✉

f

t

THE NEW INDIAN EXPRESS

ASHA worker dies after Covid booster shot in Telangana

Express News Service | Published: 28th February 2021

08:36 AM

✉

f

t

Sanitation worker dies a day after vaccination in Andhra Pradesh

Express News Service | Published: 11th February 2021

08:40 AM

✉

f

t

The Indian EXPRESS

Home / North East India / Manipur

Manipur Anganwadi worker dies after taking Covishield jab, had recovered from Asthma attack

Family sources said Sundari was administered a shot of the Covishield vaccine around 1pm on February 12. Day after, she complained of fever and allergies, they said, adding that assuming that she was experiencing normal side effects, she took a medicine bought from a local pharmacy.

Written by [Jimmy Leivon](#) | Imphal | February 19, 2021 10:41:16 pm

INDIA TV

English News India

Frontline worker dies days after receiving first COVID-19 vaccine jab

The victim, who was working in the state waterworks department in the town, was discharged from the hospital on Thursday after he recovered from an adverse event following immunisation (AEFI) symptoms since February 11.

Chhattisgarh cop dies three days after receiving COVID-19 vaccine

PTI | Published: 16th February 2021 12:10 AM



NATIONAL HERALD Contribute Videos

NATIONAL

Andhra village volunteer dies after taking COVID-19 vaccine

Pilla Lalitha, 28, took the vaccine along with eight other volunteers on Sunday. All others suffered headache and fever-like symptoms while Lalitha's condition aggravated, leading to her death

Hindustan Times E-Paper Games

Home Latest Most Read

Home / India News / Jharkhand health worker dies 36 hours after vaccination

INDIA NEWS

Jharkhand health worker dies 36 hours after vaccination

Though 52-year-old Pahan did not have comorbidities, the cause of his death is being investigated.

Outlook

Magazine India Opinion Videos Photos World

29 January 2021 | National

Man Dies In UP After Taking Vaccine Shot; CMO Claims Death Due To Heart Ailment

By the evening of the same day of receiving the Covid-19 vaccine shot a 55-year-old man died in UP but the Chief Minister's Office attributed his death to a heart ailment

OUTLOOK WEB BUREAU

Mumbai Mirror HOME / CORONAVIRUS OUTBREAK /

Ulhasnagar doctor dies 11 days after receiving Covid-19 vaccine, kin say no link to vaccination

By Sumitra Debroy, Pradeep Gupta / Updated: Feb 2, 2021, 08:03 IST



TOI OPEN APP

MORE FROM TOI



CITY

Karnataka: Asha worker dies 12 days after vaccination in Belagavi

Sunitha Rao R | TNN | Feb 5, 2021, 23:15 IST



THE NEW INDIAN EXPRESS

Tamil Nadu conservancy worker dies days after receiving COVID-19 vaccine jab

Express News Service | Published: 02nd February 2021

01:01 AM



THE NEW INDIAN EXPRESS

Kerala nurse dies a day after taking Covid vaccine

Express News Service | Published: 30th January 2021

05:54 AM



THE NEW INDIAN EXPRESS

Andhra woman dies a month after taking Covid jab

Express News Service | Published: 02nd March 2021

08:17 AM

TOI OPEN APP

MORE FROM TOI



CITY

Agra doctor, 77, dies a week after Covid-19 vaccination

Deepak Lavania | TNN | Updated: Feb 8, 2021, 11:24 IST

TOI OPEN APP

MORE FROM TOI



CITY

AIIMS intern dies 11 days after Covid jab

Ishita Mishra | TNN | Updated: Feb 16, 2021, 09:40 IST

THE HINDU

TELANGANA

Coronavirus | 2 die in Andhra Pradesh, Telangana days after COVID-19 shot



Representational image | Photo Credit: Getty Images/iStockphoto

P. Samuel Jonathan
K. Shiv Shanker

GUNTUR/HYDERABAD 24 JANUARY 2021 17:34 IST
UPDATED: 24 JANUARY 2021 23:36 IST

Four prominent medical personnel deaths in Italy

affaritaliani.it 
Il primo quotidiano digitale, dal 1996

Sunday, January 24, 2021 - 18:34:00

Aversa, a 45-year-old doctor died of cardiac arrest. "He had the vaccine"

On social media, some users have talked about the relationship between the vaccine and the doctor's death



Dr. **Mauro Valeriano D'Auria**, a specialist gastroenterologist in service at the Umberto I Hospital of Nocera Inferiore, died prematurely, struck at 45 by a cardiac arrest after a tennis match. D'Auria, as local newspapers write, **was a doctor highly esteemed by colleagues and patients, a professional active especially in the field of intestinal ultrasound**. Among the latest messages from Dr. D'Auria on his social page, the convinced adhesion to the vaccination campaign to defeat Coronavirus forever.



Disclosure - the articles on this page were written in Italian and translated to English via Google. Minor translation abnormalities may have occurred.

Nurse dies in her sleep in Frosinone: "Natural causes", but she had been vaccinated

of **DINO GRENADE** - January 18, 2021



All the media write that Elisabeth Durazzo, the young nurse on duty at the "Fabrizio Spaziani" hospital in Frosinone, suddenly died in her sleep, one of the first hospitals in Lazio that between the end of December and the beginning of January all health personnel underwent a massive vaccination against Covid.

Pfizer's first five 'Comirnaty' vaccines were administered on **December 29 in the presence of the governor of Lazio Nicola Zingaretti** and the councilor for Health Alessio D'Amato, then in the following days it was the turn of all the other health professionals, including doctors and nurses.

About ten days after the end of vaccinations, on January 13, Eli Durazzo, 39, with a small son, according to the media, died in sleep of cardiac arrest.

il Resto del Carlino RAVENNA

WHAT TO DO EDITIONS GOVERNMENT DRAGONS COVID SKI FACILITIES EMILIA ROMAGNA

Pharmacist gets vaccinated and dies




A 49-year-old pharmacist, Miriam Gabriela Godoy, from Porto Corsini, a seaside resort on the Romagna Riviera, died last Wednesday after receiving the anti-Covid vaccine. The [Resto del Carlino](#) and [Ravenna News](#) report it explaining how the woman died of an illness.

The pharmacist had been vaccinated on January 14th. The next day she went to work at the pharmacy and felt ill. Urgently transported to the Bufalini hospital in Cesena, the lady died a few days later, Wednesday 20 January.

The woman, who leaves 4 children, was not performed any autopsy to ascertain the real causes of death. Among the colleagues - writes the Carlino - in recent days someone has

Another nurse dies in his sleep. "Heart attack". He had taken the second dose of the vaccine

of **SPN** - January 27, 2021



Another young nurse, Luigi Buttazzo, an operating room instrumentalist at the Tor Vergata Polyclinic in Rome, died in his sleep, probably struck by a heart attack, as some media, including Repubblica, write.

The nurse, 42, passed away a few days ago after receiving the second dose of Pfizer-Biontech's "Comirnaty" vaccine, the so-called booster.

Facebook temporarily blocked all searches using @irelandeasthospitalgroup (which owns & manages Wexford General)



TRINIDAD and TOBAGO

NEWSDAY

DR KESHAV Sharma, son of late Chief Justice Satnarine Sharma, has died.

Details of his death are not yet known and relatives are awaiting the results of an autopsy since he was not ailing.

Doctor Kershav Sharma a respiratory consultant who practiced in Wexford hospital took the vaccine on Tuesday 5th of January 2021.

Young Wexford respiratory consultant dies suddenly

By Peter Doyle 18th January 2021

The son of a former Trinidad and Tobago Chief Justice was only 39 years old

Tributes have been paid to a young respiratory consultant who died suddenly.

Dr Keshav Sharma was 39 years of age when he passed away last week (January 11), three days after his birthday.

He was a consultant respiratory and general medical physician at Wexford General Hospital (WGH).

A spokesperson for the Ireland East Hospital Group has confirmed to *Irish Medical Times* that the death was not related to Covid-19.



Search Results for

@IrelandEastHospitalGroup

Filters



All



Posts

Didn't find what you're looking for? We're temporarily hiding some results for this search query.

Facebook moved quickly to 'debunk' anyone claiming a correlation, even prior to any autopsy. They also blocked any searches for posts tagged with the hospital group's @ name.

Will these employers accept liability for their front-line workers' deaths if they require the shot in order to work?

39-year-old nurse aide dies 'within 48 hours' of receiving mandated COVID-19 shot

Wed Jan 27, 2021 - 3:16 pm EST

HURON, Ohio, January 27, 2021 (LifeSiteNews) — A 39-year-old woman with no known comorbidities died unexpectedly in northern Ohio within 48 hours of receiving a COVID-19 vaccine, which was reportedly required by her employer.

Janet L. Moore, a nurse aide at Admirals Pointe Nursing Home (APNH) in Huron, was found unresponsive in her car outside her apartment complex on December 31 around 8:00 p.m., her brother Jacob Gregory told LifeSiteNews.

"She was coming home from work and as soon as she drove into her parking lot she passed away," he said. "According to her neighbors she wasn't feeling good directly after the vaccine, and then ever since the vaccine she was actually feeling nauseated, she'd have like migraines and stuff like that. And then, within 48 hours, she ended up passing away."

Gregory mentioned that his deceased sister, a mother of two sons, was required to receive this vaccine due to her nursing home employment.

Trisha Brown, Administrator at APNH, declined to comment on whether it was the policy of their organization to require the vaccine, if Moore actually received such an injection, or whether they were administering a Pfizer or Moderna product.

A nursing home in Janesville, Wisconsin, which mandated their employees receive these experimental biological agents did in fact lay off workers who declined the injections.

Nearly a dozen employees were forced from their jobs due to the policy, and 27 wrote letters of complaint seeking to have the policy changed.

Their concerns included how this biological agent, which was rushed through development and testing, may have dangerous, unknown long-term effects, while others expressed worries about it affecting their pregnancy or fertility.

More generally they objected to being told they had to take a vaccine which was not approved by the Food and Drug Administration (FDA). While these vaccines have been given emergency use authorization by the FDA, neither has the full approval of the agency.

The U.K. government issued a 10-page report late last year that warned coronavirus vaccines should not be used by pregnant or breastfeeding mothers. With regard to their impact on fertility, the document simply states it is "unknown whether COVID-19 mRNA Vaccine BNT162b2 has an impact on fertility."

Safety concerns with these vaccines also include "allergic" and "potentially fatal reactions," that they may actually cause an increased vulnerability to the virus, and that, indeed, worries over long-term effects remain legitimate as these vaccines lack proper testing.

In addition, the FDA also drew up a document this fall listing the possible side-effects from a COVID-19 vaccine, including strokes, encephalitis, auto-immune disease, birth defects, Kawasaki disease, and death.



Auburn Woman Warns Grandfather's Aid Die After COVID Vaccine

By Marissa Perlman January 25, 2021 at 12:45 pm Filed Under: Coronavirus, Placer County



AUBURN (CBS13) – The Placer County Sheriff's Office announced Saturday that a person tested positive for the virus in late December and died hours after getting the vaccine on Thursday.

Now, there are questions from the community on the safety of the vaccine. An Auburn woman says she witnessed the tragedy first hand.

In a post on Facebook, she said she saw her grandfather's aid, a 56-year-old man, get the vaccine at a senior living facility on Thursday.


"Twenty minutes later he realized his legs felt tingly and he was having shortness of breath. He was wheeled out in an ambulance...1 hour later he was in ICU on a ventilator and three hours later he passed away," she wrote.

HOME POLITICS MOVIE NEWS PHOTOS GENERAL NEWS MOVIE REVIEWS

Home > General News

Two nurses have lost their lives after receiving Pfizer vaccine

By Siddhu | Hyderabad | January 7, 2021 | 11:04 am



The death of the two nurses in Norway, who have taken the vaccine to end the world-wide coronavirus is alarming.

After receiving the Pfizer-Biotech vaccine, they died suddenly within 48 hours. The Medical Director of the Norwegian Agency, the Norwegian National Institute of Public Health, has started an investigation.

The deaths in elderly within 24 hours of the vaccine is particularly alarming (even though the media told us it would happen)

NEWS

Doctor on CNN: Don't be 'alarmed' if elderly die after receiving COVID vaccine

Dr. Kelly Moore said that people 'should not be unnecessarily alarmed if there are reports, once we start vaccinating, of someone or multiple people dying within a day or two of their vaccination who are residents of a long-term care facility.'

88-year-old dies hours after COVID vaccination in second such incident

By JERUSALEM POST STAFF DECEMBER 30, 2020 18:03



24 Residents Dead in 3 Weeks as One Third of UK Nursing Home Residents Die After Experimental mRNA COVID Injections

Detroit Free Press
Macomb County man, 90, dies after COVID-19 vaccine

10 Dead in Germany after Receiving Pfizer COVID-19 Vaccine

by Rana Atef — 11:53 PM January 14, 2021



On Thursday, 10 people were pronounced dead in Germany after receiving Pfizer and BioNTech COVID-19 vaccines, according to the German News Agency (DPA)

Spain: second Pfizer shots halted after 46 nursing home residents die after the first shot

February 16, 2021 2 min read admin



Maine Journal News

2 hrs ·

Reports are coming out of Dover Riverside Nursing Home in NH that between four (4) and seven (7) residents have died after they received the COVID vaccine on Monday afternoon.

we are following this story and will provide more updates as they become available from our sources. —Ronda



NEW YORK POST

23 die in Norway after receiving Pfizer COVID-19 vaccine: officials

By Amanda Woods

January 15, 2021 12:12pm



EURONEWS NOW

STEINAR MADSEN
CHIEF PHYSICIAN, NORWEGIAN MEDICINES AGENCY

Twenty-three people died in Norway within days of receiving their first dose of the Pfizer COVID-19 vaccine, with 13 of those deaths — all nursing home patients — apparently related to the side effects of the shots, health officials said.

Common reactions to the vaccine, including fever and nausea, "may have contributed to a fatal outcome in some frail patients," Sigurd Hortemo, chief physician at the Norwegian Medicines Agency, said in a Friday statement.

All 13 were nursing home patients and at least 80 years old. While officials aren't expressing serious concern, they are adjusting their guidance on who should receive the vaccine.

The news comes just over a week after officials reported the deaths of just two nursing home residents after they received the Pfizer jab.

NEWS.RU

7 die at Spanish care home after getting Pfizer Covid-19 jab as ALL residents test positive for virus, second doses still to come

1 Feb, 2021 19:09



An elderly Israeli man died on December 28 of a heart attack after receiving the Pfizer coronavirus vaccine, the Israeli Health Ministry reported.



The Arutz Sheva Newsletter - Updates, stories and features

Subscribe now

It should be noted that in the three weeks since the start of the coronavirus vaccination campaign, two elderly people died a few hours after receiving the vaccine, but the Ministry of Health estimated that there was no connection between the deaths and the vaccine.

In the first case, a 75-year-old man, a resident of Beit She'an, died as a result of heart failure two hours after the injection. The next day, an 88-year-old man collapsed in his home hours after the vaccination and was later pronounced dead. The Hadassah Mount Scopus

Reports of significant injuries post-injection are being reported



Unexpected String of Allergic Reactions Causes Delays at 'Vaccination Super Station' Ne Indian Woman From Andhra Pradesh Dies From Brain Stroke After COVID-19 Vaccine

January 24, 2021

A woman from the state of Andhra Pradesh in India has [died after suffering a brain stroke after receiving the COVID-19 vaccine](#). The family of the victim claims she developed seizures and fever after receiving the vaccination and died due to the vaccine



Disclose.tv
@disclosetv

NEW - Over 3,000 are "unable to perform normal daily activities" after receiving the [#COVID19 vaccine](#) according to a report released by the CDC.
[cdc.gov/vaccines/acip/...](https://cdc.gov/vaccines/acip/)

V-safe Active Surveillance for COVID-19 Vaccines



CDC Says Severe Allergic Reactions to the Covid Vaccine Run 10 Times Reactions to the Flu Shot

By Noah Higgins-Dunn, CNBC • Published January 6, 2021 • Updated on January 6, 2021 at 2:04 pm



- A new CDC study published Wednesday found that people receiving Covid-19 vaccines experience anaphylaxis at a rate 10 times higher compared with the flu vaccine.
- Anaphylaxis is a severe and life-threatening allergic reaction that can occur after vaccination,

CDC: More than 5,000 COVID-19 vaccine recipients have reportedly suffered "health impact event"

DATED: DECEMBER 30, 2020 BY SHARYL ATKISSON — 221 COMMENTS



- Moderna reports higher risk of common side effects
- 5,052 suffered a "health impact event" as of Dec. 19
- CDC defines "health impact event" as one that renders a patient "unable to perform normal daily activities, unable to work, required care from doctor or health care professional"
- That's a rate of about 2.3% of vaccine recipients
- CDC says a severe allergic reaction, anaphylaxis, was reported
- It's impossible to know how effective the vaccines are beyond the number of days they've been given to humans.
- It's also impossible to know this soon what are the potential long term side effects, if any.



Fairless Elementary

15h • ⚙️

NO SCHOOL Monday, February 8th.

Ohio school

Dear Parents, the Fairless school staff received their COVID vaccination on Saturday and many have developed side effects and become ill. I am not able to operate school safely tomorrow with this many staff out. Fairless schools are closed for Monday, February 8. We plan to resume school on Tuesday.

13 Israelis suffer FACIAL PARALYSIS after taking Pfizer Covid jab, amid influx of reports detailing adverse effects

16 Jan, 2021 14:52

At least 13 Israelis have experienced facial paralysis after being administered the Pfizer Covid-19 vaccine, a month after the US Food and Drug Administration reported similar issues but said they weren't linked to the jab.

Will you trade potential facial paralysis for a 99.5% survival rate?

ARUTZ SHEVA 7
israelnationalnews.com

The coronavirus vaccine developed by Pfizer and BioNTech has apparently caused a number of side-effects not anticipated by the producers, a department manager at Sheba Medical Center in Tel HaShomer said Tuesday.

Professor Galia Rahav, chief of the Infectious Disease Unit and Laboratories at the Sheba Medical Center, spoke with Kan Reshet Bet Tuesday about the newly-discovered side-effects some people have reported experiencing after receiving the Pfizer-BioNTech vaccine.



The new side-effects range from paraesthesia – a nerve condition causing a tingling sensation or ‘pins and needles’ – to facial nerve paralysis.

“When we noticed this and spoke with [the company], they started to get reports about this,” said Rahav.

“At the beginning, they said that it was just hysterical women,” but it doesn’t seem that way, because we’re seeing this with men as well.”

Prof. Rahav emphasized that the side-effects are likely temporary, and that it is not yet certain that the vaccine caused the reactions. But, she added, since the vaccine is new “we need to examine it, to learn, and to observe.”

“We’re just now learning about the effectiveness of the vaccine in real life. In real, day to day life, you learn different things. The effectiveness is a little different. When you vaccinate 2.5 million people in one shot, obviously we’re going to see different things happening.”

Interesting that Pfizer ignored the initial reports of this side effect because... "hysterical women."

Some of these injuries are devastating knowing they would have almost certainly survived COVID

32-Year-Old Mexican Doctor Suffers Seizures and is Paralyzed After Receiving the Pfizer Experimental Vaccine



Dr. Karla Cecilia Pérez Osorio (right).

The [Mexican Press](#) is reporting that a 32-year-old female doctor in Coahuila has suffered seizures and become paralyzed after receiving the Pfizer experimental COVID mRNA vaccine on December 30, 2020.

Dr. Karla Cecilia Pérez Osorio reportedly was working as an internist at the General Hospital of Zone No. 7, in the municipality of Monclova. She was subsequently transferred to the High Specialty Medical Unit No. 25 of the IMSS, in Monterrey, Nuevo León.

She was reportedly evaluated by a neurologist and diagnosed with transverse myelitis, a known side effect of vaccines, and specifically of the COVID experimental mRNA vaccines as this injury was observed in some of the vaccine trials of the various COVID19 experimental trials being conducted around the world.

The [Mexican Press](#) is reporting that a 32-year-old female doctor in Coahuila has suffered seizures and become paralyzed after receiving the Pfizer experimental COVID mRNA vaccine on December 30, 2020.

Dr. Karla Cecilia Pérez Osorio reportedly was working as an internist at the General Hospital of Zone No. 7, in the municipality of Monclova. She was subsequently transferred to the High Specialty Medical Unit No. 25 of the IMSS, in Monterrey, Nuevo León.

She was reportedly evaluated by a neurologist and diagnosed with transverse myelitis, a known side effect of vaccines, and specifically of the COVID experimental mRNA vaccines as this injury was observed in some of the vaccine trials of the various COVID19 experimental trials being conducted around the world.

Hamilton PSW says allergic reaction to COVID-19 vaccine led to fainting, seizures and CPR

Bobby Hristova - CBC News - Posted: Dec 30, 2020 11:56 AM ET | Last Updated: December 30, 2020



Deborah Tilli, 27, says she accepted the possibility of death while suffering a severe allergic reaction after receiving the COVID-19 vaccine. She says she feared her two daughters, ages seven and four, would be left without a mother. (Submitted by Deborah Tilli)

Tilli says the paramedic checked her vitals and noticed her heart rate was high. She received a Benadryl shot and it seemed to work for a few minutes. But the symptoms returned and worsened, she says. "The supervisor from the paramedics was there and he just said 'OK, let's give her the EpiPen,'" Tilli said.

"Within a minute, I just said, 'Something doesn't feel right in my body,' and I remember just passing out and leaning over to the right."

Dave Thompson, superintendent of the local paramedic service, confirmed to CBC News that Tilli was taken to hospital in stable condition.

Tilli says when she woke up, she was told she suffered seizures and needed CPR for a brief period. She doesn't remember much during the reaction, but says one moment sticks out — accepting the fact that she could die.

"There was a moment where, I don't want to say I gave up, but I was just like 'It is what it is.' ... [Days later] when I was in bed the other night, I was thinking, 'What if I left my two girls without a mother?'" Tilli said.

Even the very young are experiencing deadly reactions

THE JERUSALEM POST CORONAVIRUS ISRAEL NEWS WORLD NEWS MIDDLE EAST U.S. POLITICS DIA

19-year-old hospitalized in ICU days after receiving second Pfizer vaccine

By MAAYAN JAFFE-HOFFMAN FEBRUARY 1, 2021 22:01



A 19-year-old was hospitalized with myocarditis – inflammation of the heart muscle – five days after receiving his second dose of the coronavirus vaccine, Terem emergency medical clinic reported Monday.

According to the clinic, it has still not been confirmed that the inflammation was developed as a side effect of the vaccination. However, a number of COVID-19-related myocarditis cases have been reported, according to the US National Institutes of Health.

From when he had received the second dose, he had experienced an accelerated heartbeat, along with shortness of breath and sharp pains that were radiating down his left arm, according to Terem's Dr. Badarnih Bahaa. Terem took blood tests that revealed the heart inflammation.

Without treatment, myocarditis can lead to cardiac arrhythmia and even death.

THE JERUSALEM POST

17-year-old in ICU after receiving second coronavirus vaccine dose

A 17-year-old was hospitalized in the Safra Children's Hospital's ICU at Sheba Medical Center a few days after receiving the second dose of the coronavirus vaccine, according to the hospital.



Ashley Chicoine ► Covid-19 Vaccination Reactions and Feedback

3h • 🗨️

I'm a 21 year old CNA at a nurs home i was working and completely healthy i got told to go get the vaccine (from peer pressure bc i didn't want it) talk to a lady told her i had seizures in the past i had a cold and have allergies to shellfish amoxicillin and penicillin (SHE CROSSED THEM OFF AND PUT N/A! ON MY CONECENT FORM!) I took the vaccine at the 12:02 on Jan 8 i walk around and made my way to my seat and immediately felt my heart racing getting hot and dizzy i tried everything to calm my heart down and nothing worked i put a cold water bottle on my head and watched my Apple Watch to see how high my heart rate was it was 176 when i checked that's when i new something was wrong i stood up to get help and i just collapsed. I couldn't move after my hands and legs seemed paralyzed my left side of my face was all pins and needles feeling. They say i had two seizure like eps i was throwing up and screaming in pain. I then had two epi pens in the left leg i couldn't feel it at all Bc my legs couldn't feel anything my legs where completely numb and well paralyzed the emts came i was extremely tired and weak and hurt ER i noticed that my feet where purple we tried to plop them up they would change in color back to normal but still freezing cold and would turn purple right when i put them down. It's come to the point of painful and pins and needles feeling is worse it's been worse on the left then the right the whole time i can't walk without support and my walker and it's very painful. I went to Boston hospital to get my feet checked out since they are purple and now i need to get a biopsy done to my feet. I reported it to Pfizer and they will be calling my in the next few days i was told



Some of these vaccine injuries will be life-long and devastating

Hadassah Hospital:

Young man develops 'rare life-threatening syndrome' after Covid-19 vaccine

23 year old sent to Hadassah Hospital found to have developed rare multisystem inflammatory syndrome 24 hours after getting Covid vaccine.

Tags: Vaccine

Arutz Sheva Staff , Jan 10 , 2021 11:44 AM



24 hours after receiving the Covid-19 vaccine, a 23-year-old man developed a rare multisystem inflammatory syndrome, which causes, among other things, severe damage to heart function.

Prof. Dror Mevorach, director of the coronavirus department at Hadassah, tweeted on the matter, writing, "Rare life-threatening multi-system inflammatory syndrome (MIS) following BNT162b2 mRNA covid-19 vaccination in a 23 y old social worker was identified at our Department of Medicine B at Hadassah Medical Center, Jerusalem, Israel and reported to MOH and WHO."

Coronavirus vaccines sending hundreds to ER, according to US gov't reporting system

Seventeen people have had a 'life threatening' reaction to the COVID-19 shot. Two reactions were so bad they led to a 'permanent disability.'

"The system has received reports of 1,156 total adverse events. Of those, 17 have been 'life threatening' and two have led to a 'permanent disability.'"

Thousands of others are self-reporting an inability to return immediately to work or perform normal daily activities after the vaccine. According to *The Epoch Times*, these incidents were reported through V-safe, "a smartphone

Peruvian Man Suffers Guillain-Barré-like Symptoms After Receiving Sinopharm COVID-19 Vaccine

by Marco Cáceres

Published December 21, 2020 | Vaccination, Risk & Failure Reports



"Several days ago we signaled, as we are required, to the regulatory authorities that one of our participants (in trials) presented neurological symptoms which could correspond to a condition called Guillain-Barre syndrome," said German Malaga, MD, chief researcher at Cayetano Heredia University in Lima, Peru, where the vaccine trial is being conducted. "We are concerned about the situation, and we are providing all of our help and support to ensure that it is cleared up," he said.¹

THE EPOCH TIMES



A COVID-19 vaccine bottle is seen in New York City on Jan. 4, 2021. (Shannon Stapleton/Pool/AFP via Getty Images)

PUBLIC HEALTH INFORMATION

Hundreds Sent to Emergency Room After Getting COVID-19 Vaccines

BY ZACHARY STIEBER | January 5, 2021 Updated: January 5, 2021

Thousands of people self-reported being unable to work or perform daily activities, or required care from a health care professional, after getting one of the doses from the first tranche.

The FDA's Adverse Event Reporting System hasn't been updated to include data for the last quarter of 2020 yet.

Are we just now recognizing the danger of PEG? After the rollout?



Suspensions grow that Pfizer's COVID vaccine nanoparticles trigger allergic reactions

The U.S. National Institute of Allergy and Infectious Diseases (NIAID) convened several meetings last week to discuss COVID-19 shot allergic reactions with representatives of Pfizer and Moderna, independent scientists and physicians, and the Food and Drug Administration (FDA), reports *ScienceMag*.

The magazine, whose COVID-19 reporting is supported by the Pulitzer Center and the Heising-Simons Foundation, said severe allergy-like reactions in at least eight people who received the COVID-19 vaccine produced by Pfizer and BioNTech over the past 2 weeks may be due to a compound in the packaging of the messenger RNA (mRNA) that forms the vaccine's main ingredient, scientists say. A similar mRNA vaccine developed by Moderna, which was authorized for emergency use in the United States on Friday, also contains the compound, polyethylene glycol (PEG).

"PEG has never been used before in an approved vaccine, but it is found in many drugs that have occasionally triggered anaphylaxis—a potentially life-threatening reaction that can cause rashes, a plummeting blood pressure, shortness of breath, and a fast heartbeat. Some allergists and immunologists believe a small number of people previously exposed to PEG may have high levels of antibodies against PEG, putting them at risk of an anaphylactic reaction to the vaccine," the paper noted.

Meanwhile, an Israeli law firm has sent a letter Health Ministry Special Events coordinator Firas Hayek with a demand to reveal all [vaccine injuries](#) and damages before Israel can pass legislation regarding mandatory vaccination.

The Law Firm of Sachs, David, Price, and Hegdich wrote: "Testimonies from within society have accumulated of severe incidents that necessitated emergency medical care for those who vaccinated, evacuation to the emergency room, hospital stay, [or death](#) within a close time frame from the vaccination.

The COVID-19 vaccine, however, according to VAERS, shows 1 death reported per 35,000 shots or 10,000 completed vaccinations (so far), a 300-900 greater likelihood. The Center for Disease Control (CDC) maintains there is "no link" between the vaccine and the deaths.

Many front line workers are sharing their injuries on social media



This is what his wife, Jennifer, wants you to know about their experience...

"The last 8 days have been incredibly challenging. I had little interest in sharing the details of our lives publicly but through our experience is has become clear that information to help those suffering from the Covid Vaccine is minimal. Public groups to share experiences with the vaccine have been actively deleting posts describing my husbands experience as it doesn't follow the message they want you to hear.

"Before jumping in, I'd like clarify that my husband is a frontline worker in healthcare and has been serving his community in various ways for 10+ years. I'd also like to say thank you to every single individual who has reached out to my husband and I to offer comfort and support. We appreciate you.

"On December 26th my husband received the Moderna Covid Vaccine. Shortly after, he developed a slight fever and general exhaustion. The following day came with incredible challenges that resulted in my husband being bed ridden. Whole body exhaustion, incredibly high fevers, chills, headaches, nausea. He could barley pick his arm up...

"Enter Monday, 12/28. On 1,000mg of Tylenol and 800mg of Motrin (ibuprofen) he was throwing temperatures higher than 104. I brought him to a local emergency room where he was told to treat his symptoms like Covid until proven otherwise... they gave him IV fluids and sent him on his way...

"While waiting for his ultimately negative results (he does not have Covid) I called numerous urgent care centers who refused to see him, on-call doctors for ECHN who refused to provide medical advice over the phone to an ECHN patient (isn't that their job?! Said doctor also informed me 104 fevers were not dangerous and the ice packs and cold cloths we were placing on his body were "only going to make me feel better and won't do anything for him".) We were left alone with minimal guidance from professionals in the field my husband has been working in for over a decade...

"You may be thinking, why didn't you call the vaccine hotline? We did. It was our first call. They picked up and said to report symptoms online for tracking purposes and then hung up. There was no guidance for treatment, no recommendations for who to seek help from... nothing more than "I hope you feel better".

"Fast forward a bit. Symptoms continued to worsen and I ultimately brought him to a privately held highly regarded emergency room in Hartford CT for further care. Without sharing specifics, I'll share that my husband was and continues to be so incredibly ill, the hospital has been testing every potential cause for his symptoms which has included 20+ tests and counting:

- Countless X-rays,
- Multiple Ultrasounds,
- Spinal taps for meningitis, and
- Regular ongoing blood work for blood bacteria, to name a few.

"Doctors and nurses from Infectious Disease have been consulting with each other to try and best identify potential trial treatments to see what works and what doesn't. For now, he's been given anti-bacterial medication in an attempt to relieve his symptoms.

"My husband after four days still remains in the hands of caring, interested and well researched professionals who are the ONLY professionals who have taken a general interest in helping, researching and trying.

"At the end of the day, I am beyond thankful for this privately held highly regarded Hartford based hospital but am very concerned about how little is being shared in regards to Covid vaccine symptoms and their severity. Two days ago I saw a big push to get the vaccine on the news with a tempting promise of a "normal fall" if we all get vaccinated... please take our experiences into consideration as you decide what is best for you and your family.

"And if you've taken some time out of your day to read through this, please SHARE. There is little information available for those suffering. And if for any reason you become increasingly ill, please seek help from the best hospital you can as soon as you can.

"If you have any questions regarding my husband, his experience or mine, please reach out. I want you to be armed with information about ALL side effects from the vaccine so you can make the best decisions for you and your families.

"With every wish that you and yours stay safe and well,
Jen."



Jennifer Denton

January 3 at 12:49 PM · 🌐

🌟 UPDATE 🌟 1/8/2021

All - Over the last week, my husband and I have received hundreds if not thousands of messages, texts, calls and emails expressing empathy and sympathy for our living nightmare. Many of these reach outs came from family and friends. Many more came from tens of thousands of strangers simply passing along healing prayers and thoughtful words.

- Karl (my husband) and I are indeed REAL. Once we saw my initial post take off, we thought it best to lock down our personal accounts for privacy. Not that anything is truly private on social media.
- He and I are in our mid/late 20s and partake in active sports like walking, hiking, skiing and wake-boarding regularly.
- My husband has no underlying conditions, no chronic conditions, and
- Given his role as a first responder, my husband was regularly tested for COVID leading up to his vaccination and was tested numerous times after falling ill. My husband did not have and continues to be Covid free.
- Yes, it was officially determined that his illness was directly linked to the vaccine.


Our objective in sharing my husbands very real experience with Moderna, the healthcare system and "all of the things" was simple -> share so that others can make more informed decisions for themselves and their families.

We hope in some small way being open and sharing these personal details truly helped you form a more comprehensive understanding of the vaccine and its potential symptoms/risks.

After nearly 11 days of aggressive illness, 6 days and 5 nights in a privately held hospital without visitors, raging potential seizure inducing fevers, 35+ tests including regular blood draws, chest x-rays, liver ultrasounds, spinal taps, forced isolation, and a hospital bill I'm sure is five miles long....


My my husband is home. My husband is safe.

Some news outlets are covering their injuries



Alanna Tonge-Jelley

January 9 at 3:13 PM · 🌐

Before I start this post I am in no way feeding into conspiracies, lies etc this is from true experience and i am currently having to write this with one hand. Today I went in for my pfizer covid 19 vaccination because i work in a care home and thought it would be in best interest of my residents to have it i was offered a choice! before i had the jab i was asked if i had any allergies which i stated a mild egg allergy so after my jab i was told to stay for a 30 minute observation to see if the vaccine caused a anaphylactic reaction. I was fine apart from a mild headache i put that down to not eating properly when i got home i decided to go for a nap which lasted an hour little did i know everything was going to get worse. When i woke up i could barely feel my right side (i was vaccinated in my right arm) and could barely string a sentence together i had slurred speech and little energy. as time went on i lost complete sensation in my right arm and leg and my headache became an excruciating pain in my neck aswell, my mum suspected something was wrong and called 111 for some advice as we weren't sure if these are normal side effects. When speaking to 111 they sent an ambulance which came in 10 minutes, i was assessed and sent to the royal hospital i was then sent for a CT scan and admitted as a potential stroke bearing in mind i am 19 years old. the CT scan was clear but there was no explanation for the loss of feeling in my body I am now on a stroke ward despite no sign of a stroke to monitor if my feeling comes back and to see if i can walk again. 

The Cass County healthcare worker got the Moderna shot in late December, blacked out and ended up on a ventilator. What happened to her is a cautionary tale, with important information everyone should know.

Chavonya Littlejohn has had a front row seat to the pandemic. She's a patient access team leader at Belton Regional Medical Center. Right after Christmas, she decided to take her shot at getting the Moderna COVID-19 vaccine.



Heather Lyons is with Tim Lyons.

January 8 at 7:46 PM · 🌐

Thank you all for the text, calls and messages!!!

6 hours later and my reaction is fading. Ive had IV meds to calm my system.. Ive went Afib, tachycardia (both confirmed by ekg), red, skin on fire, swollen eyes and felt plain miserable!!!

I should have listened to my first thought and passed on the vaccine.. for some its great for some its NOT! Dont let the media... people.. or anything talk you into something you have doubts on.. stick with your gut and go with it.... only you know your body!

As far as the 2nd one.. NOPE! Today has been horrible!


Just for note this was my first dose of the Pfizer vaccine.. I do have underlying medical conditions. POTs, MCAS, and Small fiber Neuropathy all a form of Dysautonomia.. but was told that the vaccine is better then Covid (which our house already had and recovered well from) .



40° 

FOX 4

Metro healthcare worker describes severe allergic reaction to COVID-19 vaccine



She woke up more than 30 hours later hooked to a ventilator in unfamiliar surroundings. Littlejohn had been taken to Research Medical Center, where she remained for three days. Right now, the COVID-19 vaccine under its emergency use is not eligible for standard vaccine injury relief through the courts.

Instead, your only option if you get sick or even die from the vaccine is to file under what's called "countermeasures." It also reduces the time you have to make a claim, from three years with other vaccines, to one year.

- A testimony of two nurses - one managed to go home / one went to ICU



 **Stacey Dominguez Hanson**
17h · 🌐

My Pfizer Covid vaccine story....

I have waited to post my story out of fear of negative comments, therefore I'm asking you to please don't leave a negative comment because this is MY story. Thanks

I was excited to be chosen to receive the Pfizer Covid 19 vaccine. I have been a nurse for 20 years and love what I do for my community. I felt that everyone in my life, including my patients, family as well as myself would benefit if I receive the vaccine. After all what could be so bad about a vaccine? I believe vaccines are good. I'm healthy, No health conditions and No allergies.

On 12/18/20 around 12:30 pm, I go to the designated station pull up my right sleeve and receive the injection. I think, "okay, that wasn't so bad" and I leave to go to the waiting area for 15 minutes to make sure no reactions occur.

As I was in the elevator going down, one floor, to the seating area, I felt some dizziness. I think to myself that I just stepped wrong in the elevator. I get to the floor and was greeted from a nurse that asked me to wait for a minute to be seated. I then felt a big wave of dizziness over my body. I asked if I could sit now as I was feeling really dizzy and my legs feel like noodles. The nurse kindly said yes, sit anywhere you'd like. I sat down and she asked how I was feeling? I said kinda dizzy and weird but I don't think it's anything. A sweet girl sitting across from me said to me, "it's not in your head, I feel the same thing." We looked at each other with a bewildered

starting to feel a tickle in her throat. A few minutes later, I started feeling the same, a tickle in my throat. We both agreed that it still probably wasn't anything and maybe we needed to drink some water. Next she said to the nurse that she is feeling "fullness" in her throat. The medical personnel quickly took her away to one of two back rooms to possibly start an IV. I sat there alone when I also started feeling a "fullness" in my throat and I looked around but didn't see anyone. Then the Physician came up to me and asked me how I was feeling? I told her, "I feel fullness in my throat also," with deer in a headlight look on my face. She took me to the other room in the back, just in case we need to start an IV. An IV? For what? I was confused and thought I'm okay just feeling a little strange.

I go to the back room and blood pressure showed 187/100 and pulse 120. I was asked by all personnel if I had HTN, allergies or allergies to the flu vaccine. I said No I don't have any allergie or HTN. The fullness in my throat quickly escalated to feeling like I was being choked with extreme heat inside my body that started at my throat and waved down to my abdomen and back up. That's when I got an IV, Benadryl, solumedrol and my first injection of epinephrine. Now my blood pressure and heart rate was even higher and I start shaking uncontrollably due to the epi. I stare at the ceiling and I feel this is surreal and not me, I still don't quite realize what's happening until the medical person standing on my left side asks the physician on my right, she's having an anaphylactic reaction, isn't she? The physician on my left says, "yes, she is." The physician says to me your O2 sats are good, therefore you are breathing, so try not to be scared and keep talking to me. He holds my hand, telling me not to worry that he's got this and I'm going to be fine. He then says your voice sounds raspy. Can you try to talk louder? I could not talk any louder. As my fingertips turn blue, tears start coming down from my eyes, and my symptoms get worse. I began feeling like I was drowning. I tell him, it's getting worse and i feel like I'm drowning! That's when I got the second epinephrine injection. My body continued to shaking but even worse. Then Finally, but slowly, the strangulation halted and my symptoms started getting better. It was going away! I could breath a little better now and my voice starts getting stronger. Once I was out of danger, I realized I had been there for an hour, as I was wheeled to a hospital bed to wait for my body to regain normalcy again.


It was 8 pm when I finally left the hospital. The other girl that had the anaphylactic reaction like me went to ICU so I felt lucky to be going home. I felt awful still with a horrible headache, I couldn't walk 20 steps without being sob and my throat felt like I had been kicked. My wonderful daughter picked me up as I couldn't drive and helped me recuperate. This was by far the craziest thing that has ever happened to me in my life. I trust vaccines and medicine, and couldn't believe what happened to me. I wanted to tell MY story so you could hear a true story from someone who lived through an anaphylaxis reaction after receiving the Covid vaccine. The first pic is when I sat and felt dizzy and the second pic was right before I was discharged.

I was saved by not only great health care personnel and medicine, but but the grace of God also. Thank you God for saving my life!

Thank you for listening to my story. Please be careful if you receive the Pfizer Covid vaccine and feel free to share my story... thank you to my friends and family that helped me recuperate, I couldn't have done it without you. Love you all and feel so greatly that you are in my life. 🙏❤️

These three front line workers had the same reaction - uncontrollable full body tremors

I encourage you to go to their Facebook pages to watch the recordings.



Brant Griner

January 12 at 8:16 PM · 🌐


This is what the Pfizer covid19 vaccine has done to my Mom. Everyone please pray for her. She was admitted to the hospital. And be cautious about taking the vaccine. I'm sure it is good for some people but you need to think about is this vaccine worth taking? It's not for me. Please share this post we need help finding answers

Update 1-12-21

Mom is getting even worse today and still don't have any answers from doctors as to how to fix this. Please pray for her I can't stand to see my mom this way it makes me want to cry knowing I can't do anything to help her. Please don't take the covid19 vaccine. I'm adding a 3rd video that she just sent me.

👍👎🗨️ 1K

958 Comments 1K Shares



👍👎🗨️ 51K

72K Comments 269K Shares



Kristi Simmonds is with Steve Morris and 7 others.

January 30 at 7:15 PM · 🌐

Please please share this....people need to be aware!



👍👎🗨️ 6.5K

3.7K Comments 21K Shares

BAKERSVILLE, NORTH CAROLINA — Ms. Kristi Simmonds has been a registered nurse since 2007. Her hard work and dedication to the profession led to a clinic manager position at Kindred at Home Care Services in October. Ms. Simmonds wanted to lead by example. She received the Moderna mRNA shot on January 19, according to her Facebook page. The goal was to protect her patients and co-workers, while also demonstrating that the shots are safe. She is now warning people to exercise due diligence before getting the jab.

Ms. Simmonds throat and tongue swelled up so much that she could barely breath. She went to the hospital on January 21. Doctors prescribed her Benadryl and sent her home. Ms. Simmonds rested for four days and returned to work, thinking the worst was over. Her whole world changed that night when she got home. Ms. Simmonds started having uncontrollable convulsions and muscle spasms.


Moderna

Deaths within one day of first dose

Dec 31 posted "got the shot"




Died Dec 31



AA gjaallfaiths.com

ALL FAITHS FUNERAL HOME
GRAND ISLAND, NE DANIEL D.

 **Julie Ann Splattstoesser**
Feb 26, 1970 - Dec 31, 2020

Julie Ann Splattstoesser, 50, of Alda, passed away unexpectedly Thursday, December 31, 2020. Celebration of life service will be held at 10:00 a.m. Friday at Peace Lutheran Church. Reverend Carl Eliason will officiate. The service will be livestreamed via www.facebook.com/peacefuneralservice. Burial of ashes will follow at Westlawn Memorial Park Cemetery.

Posted her vax card Jan 12



Died Jan 13



hamptoncovefuneralhome.com/obituary/Brittany-Perez

Obituary



Brittany Hall Perez passed away on January 13, 2021 in Woodstock, Georgia at the age of 39. Born in Huntsville, Alabama on July 16, 1981, Brittany was always a free spirit and opened her heart to all. She grew up "on the other side of the mountain" with her mother, father, and two sisters, and she went through the school years loving music and going to concerts. Brittany is survived by: her husband, Chris; their two daughters, Zoey and Maddie; her parents, Ed and Wanda Hall; her two sisters,

Deaths within one day of second dose

Got second dose on Feb 12 → Died on Feb 13

Mike Ginesin
February 12 at 1:49 PM · 🌐

Just got my 2nd COVID vaccine shot all seems good so far!

👍👎👉 51 19 Comments 27 Shares


Like Comment Share

Frank McKinney
My sister-in-law got the effects 24 hours later.
Like · Reply · 4d


Bonnie Carls Summers
Yea same with my mom, 30 hours later she was feeling it
Like · Reply · 3d

Joseph Wise
This just popped up in my FB feed. Makes me so sad to think about Mike's passing at such a young age. He was a good friend to so many. And wow did he get inspired constantly by his students and former students.
Like · Reply · 1d 🗨️👍👉 7

← → ↻ 🔒 loomisfuneralhomes.com/ob... ☆



Mr. Michael Stanley Ginesin



Michael Stanley Ginesin, 70, of Apopka, Florida passed away February 13, 2021. He was born February 18, 1950 in Brooklyn, New York to the late Maxwell and Florence Ginesin. Mr. Ginesin is preceded in death by his sister Leslie Schloss. He is survived by his loving wife Kathleen Ginesin; children Wendy (Rich) Caskey, Michelle (Greg) Smith and Shannon (Joe) Kuersteiner; grandchildren Parker, Emma, Sophie, Landon, Luke and Brooke; sister-in-law Karen and children Lacey (Craig) and Jacob as well as brother-in-law


Posted her first dose on Jan 27 2nd dose given 21 days after Jan 27 which means Roni received 2nd dose on Feb 16 Died on Feb 16

Roni Hooker Sisk added a temporary profile picture.
January 27 at 9:12 PM · 🌐



👍❤️ 37 2 Comments

→ ↻ 🔒 morgansfuneralhome... ☆



Roni Hooker Sisk
February 1, 1974 - February 16, 2021

It is with a heavy heart and much sorrow we create this fund. **Roni Sisk** has been the beloved Director of Nursing at Princeton for a couple of years & has worked in the healthcare community for many years. The Princeton team & greater ClearView family woke up today to learn the devastating news that Roni passed away, very unexpectedly, early this morning (2.16.21). She was only in her mid 40's. She had a husband, children (young & adult),

Mom confirms her 28-year-old passed 48 hours after shot



Shauna O'Neill Link

Stacey Ann Tiano I beg your pardon Miss Know It All. My 28 year old daughter took the vaccine on a Tuesday and was dead by Thursday. You have no idea what the hell you are talking about. Autopsy shows no other red flags. Corner has assured us he will get to the bottom of this vaccine crap.

Haley Link Brinkmeyer


1992 - 2021



Haley Link Brinkmeyer

Evansville - Haley Link Brinkmeyer, 28, of Evansville, Indiana, passed away on Thursday, January 21, 2021 at her home.

Haley was born on August 4, 1992, the youngest daughter of Shauna (O'Neill) and Steve Link. She attended Cynthia Heights Grade School, Helfrich Park Middle School and graduated from Reitz High in 2011. She and her future husband, Evan were crowned basketball homecoming queen and king at Reitz. Haley had a competitive spirit and played soccer, softball and basketball. Her coaches had a strong impact on her life, they were like family to her. She graduated from University of Evansville in 2018 with a doctorate in physical therapy and was a member of AOII Sorority and participated in the Buddy Program. She worked at North River Health Campus.



Cheri Roundy

Feb 5 · 🌐



Cheri Roundy

[Kendra Hansen Nilsen](#) I don't think any service is planned quite yet. I agree with you. Don't see how this can happen.

This shot is to new. I don't trust it! It attacked her liver & shut her heart down in a matter of days. They are blaming Tylenol. Which she didn't even take that much. It was a new bottle & there was hardly any gone. It wasn't the Tylenol, it was the shot. Either way, she would not have taken Tylenol if the shot wasn't making her so sick. I will risk Covid before I risk that shot. So many thoughts going through my head about her daughter. Her Mommy won't be



Cheri Roundy

Feb 6 · 🌐



Cheri Roundy

[Jennifer Bune](#) Thanks Jen. Yes she worked at Tanner clinic. Her married last name is Howard. She recently got divorced. She went by her maiden last name to her friends "Kurill" Howard is probably what it is under at work. I'm not positive if it is Yates that she worked for, but it was definitely a plastic surgeon there in Layton at Tanner clinic. I will find out the Drs name for sure and message you. I think it was Yates tho? [Crista Niki Sims](#) do you remember the Drs name she worked for? I forget his name.

2w Like Reply



ReAnna Sontag

She works for dr York Yates at his office in Layton. I dunno where tanner clinic is coming from maybe she did prior? Ever since I've known her the last 2 years it's Yates.

2w Like Reply

Where do I begin?

Kassidi Kurill, You were my Best friend for so many years. My ride or die. So many memories with you. You were my "Barbie doll" friend. You and your sister. I always said I was the tag along for the good time. OMG my heart is so broken right now. Life is Crazy!! Hold your loved ones tight. The COVID shot took her life tonight. My heart goes out to your family & especially to your little one. 💔





Death within 48 hours

Feb 12 posted "got first jab" → Died within 48 hours



Feb 20 got second shot → Full term fetus died within 48 hours



Stroke (age 28) & Cardiac Arrest (age 34)

REGINA LEADER-POST

North Battleford health care worker dies

Tom Thomas is remembered as an active member of his church, a gifted choral singer and a caring father and husband.

Zak Vescera
Feb 18, 2021 • 1 day ago • 2 minute read



Tom Thomas was 34 years old when he passed away yesterday at Hospital emergency room due to sudden cardiac arrest. He was a father, a husband and a son who lost his

Thomas's friend Don Paul told The Morning Edition, "Thomas worked as an aide at Saskatchewan Hospital North Battleford. Thomas believed he may have been exposed to the virus at the hospital early in February — only 24 hours after being given his first dose of a COVID-19 vaccine. By Monday, Thomas had chest pains and went to the ER. While he was waiting for the doctor to do the assessment, he had a sudden cardiac arrest and died,"

28-Year-Old Mother Has Fatal Stroke 5 Days After COVID Vaccine



Just five days after the second dose of the Pfizer COVID-19 vaccine, perfectly healthy 28-year-old health care worker Sara Stickles had aneurysm. "Today around 1:45 she had what looks like a brain aneurysm and is in a very deep coma." wrote her twin sister Kara Stickles.



The young mother, who is a health care worker and just began a position at Swedish American Hospital in Wisconsin, is on life support and the family has been told to say their good-byes. She leaves behind a young son.



EXPRESS

Home of
the Daily and
Sunday Express

Covid sufferer dies in Spain shortly after receiving second dose of Pfizer vaccine

By **BILL MCLOUGHLIN**

PUBLISHED: 16:43, Wed, Jan 27, 2021 | UPDATED: 13:27, Thu, Jan 28, 2021

The victim from Valencia contracted the **virus** shortly after receiving the first dose of the Pfizer-BioNTech vaccine on December 29. The **second dose of the drug** was administered on January 19, three weeks after the first jab. In analysis

Even more deaths and injuries reported from healthcare workers on social media

Please lift [redacted] up in prayer. I just had to leave her at Rush ER. She got the Covid Vaccine while at work yesterday and is having a serious reaction from it. She is totally numb on the left side of her body, having uncontrollable convulsions and says she is freezing. This is all that I know right now, I can't even go inside the building with her.




Tara Sekikawa

Dec 27, 2020 · 🌐

I went to work today and ended up in the ER. Thank god I work at a hospital. I'm positive this episode is from the Covid19 vaccine. I had tachycardia. My heart beat was 239. I haven't felt right since I got the injection on Tuesday. I have had a headache ever since. I will not be getting the 2nd shot. This was my experience with the vaccine I felt I should share it.

80% of care home staff in my town got covid 3 weeks after flue and CV jabs. All tested positive on the same day.



Dehner Maurer

Yesterday at 10:07 PM · 🌐

I'm asking for prayer. My son is a RN and had to take the vaccine. He's now horribly sick. Vomiting, shaking, in and out of consciousness. WOW.

👍👍👍 604


268 Comments 1.4K Share

[redacted] asked a question in Directors Of Nursing [redacted] 14m · 🌐

I'm having a moral dilemma and could use some advice. We had our Covid vaccination clinic yesterday. A resident that received the vaccine coded and died within 12 hours. While it is probably coincidental I still feel this should be reported to VAERS. I am being directed not to report by corporate. I am leaning to report regardless. What would you do? I had already put in my notice but am contemplating not working out the full 30 days

👍👍👍 5

13 Answers



Deborah Lynn

Dec 24, 2020 · 🌐

My experience with the vaccine has been the most brutal experience I can even imagine.

I went into anaphylaxis shock. I had seizures. I feel confused. I feel weird. I don't feel like my self. I had cpr done. My heart was racing one minute, to them not being able to find it. One minute I'm talking, the next I'm past over shaking and unresponsive. Once I'm finally responsive, I have no clue where I am. The walls are moving, the lights on the ceiling are going round and round in the hospital.... there's no way a vaccine can make people feel like this right?

negative. I unfortunately returned to work learning one of my residents had passed away who had got the vaccine. Of course it's being said it wasn't because of the vaccine. I am having a hard time even looking at my job the same way anymore. Most of the staff here had refused the vaccine to start with so it's hard to even compare experiences with my co-workers. I was told today that I should get another MMR

Should have listened to you. I am so sick!!!! The worst headache of my life, shortness of breath, dizzy, can't seem to warm up. I am telling you right now I am not getting a second dose. I am literally scared to go to sleep. I feel like I am going to have a panic attack every time I barely doze off. Help...

From my LNA friend who works at Dover Riverside Nursing Home: An update on the vaccine... it was administered Monday afternoon to the residents and last night during my 3-11 shift 4 residents died. That is completely unheard of. We never even have 4 go in one day. 3:11 PM

She also said: Several of my coworkers had reactions and side effects as well. I'm not sure why they're experimenting on healthcare workers. What's going to happen when all the healthcare workers are harmed by this? 3:18 PM

Eight days after I got it, I developed edema in my feet up to 3/4 of my shins. Still battling it and it started on Christmas. At it's worst, it got to 3-4+ edema.



Lisa Owen shared her first post.

New member · 1 d · 🌐

My cousin's daughter had the Pfizer covid vaccine. After her second one, she had a seizure. She's never had a seizure before. She's only 20 years old. She has had a

We have at least 100 more screenshots of injuries shared by healthcare workers.

And More...

Tony Jak
10h · 🌐

Bethannie Ann - Hearts For Healthcare Workers.
2 February 2021

My mom had her 1st Covid vaccine this past Thursday. She woke up at 1am today with a baseball sized bruise. Went back to bed got up around 7am. Here's some pictures of the progression that followed. Last picture was taken at 5:30pm. She did f/u with her pcp, had labs drawn, and has an u/s of her arm ordered for tomorrow. Has anyone seen anything like this happen? Arm is very swollen as well.



Deidra Kaufman
17m · 🌐

So to give everyone an update on shot #2 of the Covid vaccine. Went after work yesterday and got it. It's was great! Didn't even hurt feeling wonderful. Then 3am rolls around and I start getting a little achy and my arm was sore. No biggy! Got up and got around for work, ok feeling a little run down. A couple hours go by at work. Holy F-ing Shit Balls. What the F happened. Made it to about 2pm and couldn't take it anymore. Straight to bed. Just woke up. Running a fever. My whole body feels like it is breaking down. Having some issues walking because my leg muscles and joint are so sore and painful. My head feels like it's going to explode. Nausea just started. So sore even my teeth and jaw hurts. Be warned this is no joke. Two of the three of us that went yesterday have side effects.

My friend got the first shot, I begged her not to, on Tuesday, Friday she was in the ER, been there ever since, she feels awful, blood work going crazy, can't think, can't talk in complete sentences, it's bad. This is not even a vaccine, it is something that has never been used as a "vaccine" before. Please don't get it!!!!

Demi Lambe ▶ Covid-19 Vaccination Reactions and Feedback
1 hr · 🌐

I am currently paralyzed from the waist down after my Pfizer vaccination

🙏🙏🙏 639 421 Comments

3. Yesterday, 24 hours after my second dose, was a super rough day. I woke up feverish, achy, with a headache, swollen lymph nodes, and with vertigo. I also woke with chest pains. As the morning went on, they got worse. I eventually had Sam drive me to the ER. Luckily, it was not cardiac related. They said my esophagus was spasming.

Jenn Mobley Todd
January 14 · 🌐

Our friend, coworker and matriarch **Mary Meadows** has gained her angel wings. She leaves a legacy behind and a lot of broken hearts..... if you were blessed to have known her, you'd understand. And if you didn't, I think the amount of people who have shared countless memories and stories vouches for the person she was.

Mary dedicated her life to nursing and caring for others. She had the biggest heart, was selfless, had the wittiest personality and could cook and bake like no other. She had a special place in her heart for mommies (and daddies) who were parents to angel babies. One of our other coworkers mentioned that she is holding all of those babies in her arms now



We all learned from her, and I feel certain we will continue as time goes on. Please keep our work family in your thoughts. We are all very close, and this is going to leave an enormous hole in our hearts and within our unit 🥹.

Rest in heaven. Marv. We'll see you on the

Mary Meadows
December 26 · 🌐

Oh boy, am I sick! About 50 hours after I took the vaccine, the chills, fever, headache, body ache, and malaise hit with a vengeance! Feels like when I had the flu several years ago!

🙏🙏🙏 69

91 Comments 27 Shares

👍 Like

➦ Share

Mary Meadows death was announced 3 weeks after she received the first dose, suggesting she might have died just after receiving the second dose

These families have lost their fathers & mothers



Katie Tolley ▶ Covid-19 vaccines discussion and vaccine trials support

38 mins · 🌐

Sharing in hopes of saving someone else's life... My dad died 72 hrs after receiving the Moderna jab. He was 75. He was not in perfect health, but was living a normal, productive life, cutting almost 20 acres of property, eating healthy, hanging out with his friends, golfing, and was supposed to leave for a 6 week vacation w my mom next week. He got the shot on Tuesday about 11:50am. He spent the afternoon hanging out with friends (had a few cocktails) and then cut grass for a couple hrs. That evening he was feeling achy and tired. Within 24 hrs his symptoms included nausea, vomiting, diarrhea, anorexia, back pain, dizziness, poor color, and fatigue. This continued for 2 days. He tried to drink water and stay hydrated, he was not able to eat. Thursday night he had extreme diarrhea. We also noticed he was having trouble picking up his feet to walk, he was shuffling his feet and unstable. He did not say anything to us, he thought he had a stomach bug. He had some OJ Friday morning. My mom left to run errands and when she came home at lunchtime, she found my dad, he was already gone. Basically, he was sick within hrs of the jab and dead in 72 hrs post jab. Not a coincidence.



Julie Marie Christensen

2d · 🌐

Jerry and I experienced the sudden tragic loss of my mother. She lost her ability to walk, stand, move, talk, eat, drink, and breathe following the Covid-19 vaccine. Her death happened so fast. I'm devastated, and I wasn't sure how to share this shocking news. This is my mother's experience, not a subject of debate anti or pro this or that. It is what has happened to my mother. Norway has stopped offering the vaccine to people 80 or over after sudden deaths post-vaccination. My mother was exactly one month from her 80th birthday, had no underlying health conditions, and like a light switch, became unresponsive.



Kaci Wright ▶ COVID-19 Vaccine Side Effects

5h · 🌐


This is my FIL 12/31/2020, first in line at a SNF, for the first dose of #Pfizer. He was there for physical therapy rehab and had no "skilled nursing needs" or underlying disease process. #2nddose was 1/20/2021, and he was scheduled for discharge to Assisted Living 1/29/2021. He passed away 1/22/2021. He wasn't the same after dose 1.



Emma Carter is with **Charlotte Carter** and **Sylvia Robinson.**

1 d · 🌐

Please please everyone be cautious with your loved ones who are having the Covid 19 vaccine. We are still waiting for the post mortem for my mum but I am CONVINCED that she had a reaction to it. She was fine and well Saturday after having the vaccine at 11:20 she started feeling unwell shivering and dizzy Saturday night. Went to bed 8pm and never woke up. Please please warn your loved ones. Get them to question how it reacts to other medication. I'll never know the truth but I'm utterly convinced that's why my wonderful mum has left us so suddenly. Please don't let this hell We are in impact your life also 🙏🙏



Reactions and Feedback

January 28 at 5:32 AM · 🌐

I will tell you what happened to my Dad. He died last Tuesday. No underlying health problems and 100% fit. Day 4 after Pfizer vaccine he got double vision. It wouldn't shift so my Mum took him to A & E. CT scan of his head, showed no problems. Full MRI scan of his body showed no problems anywhere. They said his vision would improve..it didn't! He couldn't even walk straight, read or watch tv. Day of 2nd Pfizer vaccination...by the evening felt very ill..got worse as the days went on. Pains, aches that he'd never had before. Totally fit man with no heart problems or anything else. Day 4 of 2nd Pfizer vaccine, rushed to hospital not being able to breathe. By that afternoon, sedated, ventilated and on life support. Kept alive on life support for 8 days. On day 8 we were allowed to spend 2 hours with him and made the decision to turn his ventilator off. His heart was too damaged for survival they said. He took his last breath on Tuesday the day after the removal of the ventilator. Consultant said it was coincidence about him becoming ill and the vaccine. I'm not so sure. Death certificate reads total heart block and pneumonia- natural death. How? He had nothing wrong with his heart the MRI showed that! How did he get a totally blocked heart between 1st vaccine and 2nd!? 🙏

Edited to add: U.K.

More stories of loss



Dawn Dietz is with Tari D Dailey and Daniel Dietz.

Yesterday at 3:28 PM · 🌐

My heart is broken. This is a pain I knew I would have to face one day and I knew it would be one of the hardest things to face. We had to say "see you later" to my dad yesterday. He was one of my absolute favorite people and he knew it. He was my best friend. He was the one I would call if I was going through something like this and I would say "Dad, what am I supposed to do" I would just call sometimes to hear his voice. I will miss his voice. He was an amazing dad and an amazing grandpa. People want to know what happened. I will tell you so you know, but we are processing through this. He got the vaccine yesterday morning, had a headache after so he laid down to take a nap and he never woke up.

Detroit Free Press

Macomb County man, 90, dies after COVID-19 vaccine

Daniel Thayne Simpson, a retired accountant from Chesterfield Township who served in the Navy during the Korean War, got his first dose of the Moderna COVID-19 vaccine on Feb. 3.

The next day, Simpson, 90, was dead.

"He told my brother he was getting it and he had a sticker showing that he got it," William Simpson of Ann Arbor told the Free Press. But then, he stopped returning phone calls.

"We were assuming he felt tired or something and went to bed early and never woke up," William Simpson said. "My brother Dan went over as he often does at 5 in the evening the next day. ... He found my father dead."



Shana Smollin Crowder ▸ COVID-19 Vaccine Side Effects

11 hrs · 🌐

So my mother was 72 years old. She received the first of the moderna vaccines. She died six hours later. She had the typical American health conditions. Diabetes heart disease hypertension. However she was stable. I spoke to her the night before at 10 p.m. and she was fine. She died early the night. This just happened on Valentine's Day.



Hannan moyse shared her first post.

New member · 16 h · 🌐

An elderly family member of mine passed away yesterday. She was in a care home due to having dementia but other than that she had no other health problems. She had the Pfizer vaccine at the weekend and then began to have breathing difficulty yesterday.



Kimberley Kendal post.

New member · 11 h · 🌐

My Aunt had the vaccine on Friday in her Care Home due to their protocol.
- she's now been put on end of life.

🥺🥺🥺 1.2K

294 comments



Richard Gibson ▸

Sadly my mum died at home three and a half hours post Pfizer vaccination. Had shown no adverse symptoms to vaccination prior death. Found unconscious on toilet floor but breathing prior death. Eighty eight years old, frail with underlying rr

Josaiah McLean Sr.

My grandmother died yesterday after being vaccinated on Saturday. Her last words were that shot is making me woozy.

4m Sad Reply 11 🥺



Janette Brown

New member · 2 d · 🌐

Just to make ppl aware as fb took my posts down my dad had the covid vaccine and took very seriously ill after it he has had a serious reaction to it like many others I have spoke to now around the world his body can not stay still for one second to allow him to rest it's agony as it's constantly jerking like convulsions I have never in my life seen anything like this the hospital said they can't help as they don't know what this vaccine causes yet so we are stuck my poor dad suffered also with mini stroke also... See more

🥺🥺🥺 683

205 comments



Kara Finn @AlgorithmDancer

I am sad about my mother's death today, less than 10 days from her 2nd dose of Pfizer Covid vaccine. She was a memory patient, but had been strong and active until she fell for the first time in 87 years, after the first covid vaccine and twice after the second dose.

9:17 PM · 1/22/21 · Twitter Web App



Peter Gordon

New member · 6 d · 🌐

A 58 year old nurse I've know for 15 years died today, I found her in her room in bed, she was pretty healthy, she was semi retired.....She received the vaccine a week and a half ago, I'll be doing some serious investigation, as I don't believe it was her time today. gutted is not the word.

🥺🥺🥺 1.4K

301 comments

Ari [redacted]
My grandfather's doctor in his early 70s died from a heart attack within 24 hours after getting this 'vaccine'. He received Moderna but Pfizer is the same sh!t. He had no underlying health conditions and was a healthy doctor still practicing in his early 70s. His office staff are 100% convinced his heart attack was caused by this 'vaccine'. My grandparents won't be taking this shot.

< Richard C [redacted] 3d · [img]

Sadly my mum died at home three and a half hours post Pfizer vaccination. Had shown no adverse symptoms to vaccination prior death. Found unconscious on toilet floor but breathing prior death. Eighty eight years old, frail with underlying medical condition.

Mary [redacted]
My dad passed of Covid last year, so we couldn't wait for mom to be vaccinated. She passed away the day after receiving the booster shot, was this coincidental, I guess we will never know. But it shattered our world again ❤️

< Margie [redacted]

My uncle took the Pf on Jan 22 and he got so sick and was hospitalized and passed on the 9th of Feb. He was a healthy 84 yr old!

Adam [redacted]
Jan 14 · [img]

My next door neighbour got the vaccine yesterday. He's dead today. We have been told by relatives that he died of a heart attack. He was in his 70s this cannot be a coincidence.

< Feddy [redacted]

So my 27 year old daughter is in hospital with abnormal heart rhythm and burning pain in her head and spine .. and a pulse rate of 150 after receiving Pfizer vaccine .. anyone else got the same issues.. she's only 27 ?

Vicky [redacted]
My mother in law had the covid vaccine on Saturday two weeks ago rushed to hospital on Sunday next morning breathing difficulties, they have done an X-ray and found a bit of fluid at the bottom of her left lung . Breathing better though now ..until the next dose [img]

11h Like Reply

6 [img]



Rebecca [redacted]
I personally now know two people who have had fluid on their lungs after their covid vax.

7h Like Reply

5 [img]



Julie [redacted]
My daughter's friend's mother (aged 60) who had the vaccine two weeks ago (in the UK) hours after having the jab, felt ill and went to bed and never woke up, she died of brain aneurism! [img] [img]

4h Like Reply

7 [img]

Don [redacted]

I've a friend tested positive and recovered in Oct
1st shot 3wks ago
Had stroke 3 days ago
On life support with no brain function

10h Like Reply

8 [img]



Jordan411

Jan 13, 2021 at 7:26 AM

My mom is a nurse at a hospital and she called me today let me know 8 out of the 20 nurse staff that got the vaccine are in the ER.

Kim [redacted]

Mary Salch ...my mom passed away yesterday after receiving the 2nd shot jan 27



Tracey [redacted]
My neighbour had the Oxford one Thursday and admitted with multiple organ issues as well as water retention on Saturday. We are hoping to see if she responds to treatment. She's very poorly.

10h Like Reply

7 [img]



Sandra [redacted]
My friend's cousin suffered after taking part in one of the American vaccine trials in the UK. He had fluid on his lungs, ended up in hospital on oxygen.

10h Like Reply

3 [img]



Candy [redacted]

1h · [img]

My doctor's long term receptionist died after taking the 2nd Pfizer "vaccine" on Jan 22, 2021. She was 50 years old, healthy and exercised regularly. Her best friend said she had no underlying medical problems. She was laughing at work when she left to take the 2nd "vaccine" at a hospital 1 hr away. On the way home she felt horrible and wasn't able to walk by 3:30 pm when she got home. She was taken to a local hospital where she died of blot clots in her lungs that night. Blood clots have been listed as a side effect of the so called "vaccine."



Alex Newman
@ALEXNEWMAN_JOU

Despite my pleading, dad took the covid "vaccine" a couple days ago. This morning he passed out for the first time in his life and was taken by ambulance to the ER with wild heart issues. If something happens to him, I will not rest until all involved are held accountable.

3:40 PM · 2/12/21 · Twitter Web App

4,699 Retweets 344 Quote Tweets 13.5K Likes



Allison [redacted]

1d · [img]

Our son-in-laws friends step dad just got Moderna, 2nd dose, a few days ago and is now in the hospital paralyzed.



Sandra [redacted]

Jan 13 · [img]

From a friend.

"Just had an update on my cousin who is in hospital. He and his wife volunteered to take part in some American covid vaccine trials where they live in Exmoor. A couple of days later my cousin was very unwell and his lips turned blue. His wife used to be a nurse and she also said she felt a bit unwell. However.....they still flew to Tenerife where they go every year from the first week in December to the second week in February. On landing at the airport he took a turn for the worse and took a covid test which was negative. They continued to the villa and got on with their holiday. A few days later he collapsed on his way back from the shops and was taken to hospital. Still negative for covid so decided to fly back to UK. A few days after that he had to be taken to hospital. They thought he had had a heart attack and also possibly a blood clot and he was put on meds. He then got breathing problems. All this time his wife can't visit him and they have been trying to tell the doctors they think it was to do with the trials. The American trial people aren't interested and the hospital haven't contacted them to get data as they are convinced it is a heart defect. His brother phoned me this morning to say he is now on oxygen, the doctors think he has damaged the muscles in his heart and he has fluid round his lungs compressing them. They are giving him tablets to try and reduce the fluid. They said his heart is out of rhythm but they can't restart it because of the risk of his lunas. He is the fittest person you have met. He used to swimming and physical training and exercised day of his life."



Goodbye America
@BonVoyage_USA

My mother ended up with a stroke 2 days after vaccine. Beat Covid without issue. The vaccine permanently ruined what she has left in life.

7:29 PM · 2/14/21 · Twitter Web App



Corrie Milsted-Mendes is with Carol Denholm-Milsted.

14h · 🌐

...

VACCINE AWARENESS & SEARCH TO FIND OUT ABOUT MY MOM

**sensitive to read but important

** I'm hoping to spread awareness on possible complications

originally I was going to post my excitement on my second vaccine. Don't get me wrong I took the risk because I was anxious about it covid. I also wanted to see my mom & didn't want to risk giving her covid. I didn't know that the vaccine is actually very risky for people with underlying conditions. my mom passed away on Friday... 1 week after getting her first Moderna vaccine. Her symptoms started the night she got her vaccine (seems to be exactly the same timing the rest of us start getting symptoms). She was a diabetic, had heart disease & kidney disease but all managed and not showing signs of sickness there. NIGHT one her blood sugar dropped and she passed out. We googled and it looked like in rare cases the vaccine could effect blood sugar of diabetics. Her dr told her to just change her insulin until symptoms subsided. Then her blood sugar was high for 2 days (Then it balanced). THEN she was very nauseous and throwing up for 2 days (then that stopped) THEN she had shortness of breath for 2 days. Nothing to call the ER. She thought it was vaccine symptoms that would go away. She passed Friday peacefully.

HELP

I've been on daughter bear hunt to find a pathologist that can determine the vaccine caused my moms passing. I keep hitting walls. Apparently vaccine deaths can't be traced. which is a bit of a problem you think? I reported it to VAERS which is CDC & FDA but they won't do autopsy (guessing now because vaccine is not conclusive in findings). Medical examiner is doing a covid test on mom but she was isolating until vaccine so she could see me & my girls. When I called my moms pharmacist to cancel her prescriptions he told me he'd heard of 5 others RECENTLY passing after vaccine. Families are left to pay for autopsy themselves (5k) as cause of death is normally determined based on an educated guess (who knew). *****IF anyone knows of another vaccine passing that was actually



Linda Racey Bogle

February 22 at 11:45 PM · 🌐

...

My mom consented to the Pfizer CV19 vaccine on 1/4/21 and passed away on 1/17/21 🥺❤️

She tested negative for covid all of 2020 and tested negative the morning of 1/12/21.

On 1/14/21 she tested positive and was moved to the skilled nursing home's covid unit. Her lungs were clear. She had a slightly elevated temperature.

I called in hospice comfort care on 1/15/21 🥺

I was blessed to be with her when she passed and grateful she did not die alone 🙏

A couple days after my mom received the CV19 vaccine, she stopped eating and drinking. Interestingly, her doctor was never told she received the vaccine even after she died. I was the one to give him that information 🥺




BUSCHFUNERALTRIBUTES.COM

Vernice Racey Obituary - Westlake, Ohio - Busch Funeral and Crematory Services

Obituary, funeral and service information for Vernice Racey from Westlake, Ohio. Funeral services by Busch Funeral and Crematory Services.

Miscarriages within days of shot are alarming



14 weeks - took vax
14 1/2 weeks - miscarried

Saturday 2.20.21

Megan B [redacted] is with [redacted] ...
Saturday at 14:58 · 🌐

41 weeks today and I'm officially fully vaccinated with the Pfizer vaccine! Clearly [redacted] wanted to be born to a fully vaccinated mama! 🍀👶👶

I am scheduled to be induced on Wednesday evening if he hasn't arrived by then!

It's crazy. This time last year we were exactly 2 weeks away from beginning our journey with IVF. Now our precious babe is about to make his entrance into the world. It is not lost on me how incredibly lucky we are

Monday 2.22.21

Megan B [redacted] asked a question ? in [redacted]
9 mins · 🌐

Not sure if this is allowed... I don't have the energy to read the rules as I'm currently 12 hours into induced labor with my precious baby who is no longer living.

My dream of becoming a mother came true 9 months ago after 2 years battling infertility and a successful go with IVF. And it was ripped away from me in the blink of an eye at 9am this morning.

Part of that dream into motherhood was breastfeeding. And so I'm reaching out to find out if any other mamas have experienced a loss of this

In case you missed it:

- Age 34, female, 32 weeks pregnant, Pfizer vaccine 12/18/20, MISCARRIAGE 12/19/20, VAERS ID# 906529
- Age 35, female, 28 weeks pregnant, Pfizer vaccine 12/23/20, MISCARRIAGE 12/25/20, VAERS ID# 918034
- Age 37, female, 26 weeks pregnant, Moderna vaccine 12/27/20, MISCARRIAGE 12/28/20, VAERS ID# 916065
- Age 32, female, 22 weeks pregnant, Pfizer vaccine 1/7/21, MISCARRIAGE 1/8/21, VAERS ID# 930916
- Age 39, female, 18 weeks pregnant, Moderna vaccine 12/22/20, MISCARRIAGE 1/15/21, VAERS ID# 952671
- Age 37, female, 10 weeks pregnant, Pfizer vaccine 1/6/21, MISCARRIAGE 1/8/21, VAERS ID# 932107
- Age 35, female, 6 weeks pregnant, Pfizer vaccine 12/20/20, MISCARRIAGE 1/8/21, VAERS ID# 928892
- Age 31, female, 5 weeks pregnant, Pfizer vaccine 12/19/20, MISCARRIAGE 12/19/20, VAERS ID# 953086
- Age 34, female, 5 weeks pregnant, Pfizer vaccine 12/17/20, MISCARRIAGE 12/31/20, VAERS ID# 922289
- Age 34, female, 4 weeks pregnant, Pfizer vaccine 12/22/20, MISCARRIAGE 12/22/20, VAERS ID# 925639

Former Top Pfizer Scientist Michael Yeadon Claims COVID Vaccines May Cause Infertility In Women

DECEMBER 3, 2020 By CFT TEAM — [LEAVE A COMMENT](#)

[f Share](#) [t Tweet](#) [p Pin](#) [in Share](#)



Diane Wheat-Stephenson

My friends sister was so excited to be 34 weeks and to be "allowed" to get her Covid vaccine to protect her and her baby. Her baby passed away pre-birth 48 hours later.

They are still waiting on autopsy results.

Two different men both in critical condition both exactly 36 hours after shot



Thaddeus Gala

February 14 at 2:20 PM · 🌐

My dad got vaccinated... 36 hours later he was in the hospital with heart failure. We thought we were going to lose him.

Me: Dr Cardiologist (DC), what's wrong with our dad?

DC: Well, at first he had all the symptoms of COVID, but he tested negative. Then we discovered he had heart failure.

Me: How bad was it?

DC: Your dad was very sick. We didn't think he would make it the first night.

Me: So what happened to his heart?

DC: Well, his arteries are clear and there's no blockage. So it's hard to say. We did find 2 liters of fluid we drained from his lungs that we think is secondary to the heart. And there's no infection.

Me: So what caused the heart failure and fluid in his lungs?

DC: We still don't know.

Me: Could it have been the experimental vaccine he received about 36 hours earlier...?

DC: Oh, no.

Me: Why not?

DC: There's no evidence for that.

Me: And you confirmed my dad doesn't have diabetes, metabolic syndrome or any other comorbidities, correct?

DC: Correct.

Me: So what caused him to have sudden heart failure? And what explains why he is now doing so much better?

DC: We still aren't sure.

Me: And you're sure it wasn't the vaccine?

DC: Yes.

Me: How can you be sure?

DC: It's just not.

What has to happen for something to be considered, even as an association (not causation) an adverse reaction in the reporting data?

I'm sensing things are likely not being recorded or documented accurately in the medical community.

Intro



Dr. Thaddeus Gala at Dr. Thaddeus Gala



Medical director at Complete Care Health Centers



Primary

I cared for a previously healthy patient yesterday who came in with a massive intraparenchymal hemorrhage about 36 hours after receiving his second dose of the Pfizer vaccine. Poor guy had complete left sided hemiparesis and total unilateral left sided neglect. He was vomiting secondary to the increased intracranial pressure and all he kept repeating was "I'm ok, I'm ok, I got the vaccine. I got both doses of the vaccine." Intubated, ventilated, emergency ventriculostomy, mannitol, anti-seizure meds. His prognosis is abysmal. Was it related to the vaccine? Don't you dare ask that question!!!


Wonder if he will show up in the VAERS database. I Keep up what you do. You are one of the only islands of sanity in all this.

Dr. [REDACTED]

Please don't publish my name. I'll lose my job within

Is it a coincidence that these two legends passed within days of taking the vaccine?

'Proud' Aaron receives COVID-19 vaccine




By Mark Bowman, @mlbbowman
January 5, 2021



ATLANTA -- Hank Aaron expressed pride after being injected with the COVID-19 vaccination. The iconic Hall of Famer hopes his willingness to be vaccinated Tuesday will help lessen concerns some Black Americans may have about receiving the shot.

"[Getting vaccinated] makes me feel wonderful," Aaron told The Associated Press. "I don't have any qualms about it at all, you know. I feel quite proud of myself for doing something like this. ... It's just a small thing that can help zillions of people in this country."

Top Stories Topics Video Listen



ATLANTA (AP) — Hank Aaron, who endured racist threats with stoic dignity during his pursuit of Babe Ruth but went on to break the career home run record in the pre-steroids era, died early Friday. He was 86

The Atlanta Braves said Aaron died peacefully in his sleep. No cause of death was given.

Aaron made his last public appearance less than two weeks ago when he received the COVID-19 vaccine.

Send

17 days between vaccine & death - Mr. Aaron was laid to rest with no autopsy performed.

People

Larry King, Legendary Journalist and Radio Host, Dies at 87

Aurelie Corinthios · 2 days ago



"With profound sadness, Ora Media announces the death of our co-founder, host, and friend Larry King, who passed away this morning at age 87 at Cedars-Sinai Medical Center in Los Angeles," read a post shared on King's Twitter account Saturday. A cause of death was not given. King's death comes weeks after he was hospitalized with COVID-19.

Dave Jordan-TV @... · Jan 15

I just wrapped an interview with my friend Larry King Jr. He tells me his dad @kingsthings is expected to fully recover from #Covid19 & will receive the vaccine before he is released from the hospital. FYI: #LarryKing

less than 1 week between vaccine and death though vaccine status is heresay.

Healthcare workers & service members declining the COVID vaccine in record numbers

Vaccine rollout hits snag as health workers balk at shots

By BERNARD CONDON, MATT SEDENSKY and CARLA K. JOHNSON an hour ago



The desperately awaited vaccination drive against the coronavirus in the U.S. is running into resistance from an unlikely quarter: Surprising numbers of health care workers who have seen firsthand the death and misery inflicted by COVID-19 are refusing shots.

It is happening in nursing homes and, to a lesser degree, in hospitals, with employees expressing what experts say are unfounded fears of side effects from vaccines that were developed at record speed. More than three weeks into the campaign, some places are seeing as much as 80% of the staff holding back.

"I don't think anyone wants to be a guinea pig," said Dr. Stephen Noble, a 42-year-old cardiothoracic surgeon in Portland, Oregon, who is postponing getting vaccinated. "At the end of the day, as a man of science, I just want to see what the data show. And give me the full data."

Majority of Ohio nursing home workers not taking COVID-19 vaccine

By Kenneth Garger

December 30, 2020 | 8:54pm | Upd

Military.com

53% of Military Families Don't Want COVID-19 Vaccine, Survey Shows

Los Angeles Times

Some healthcare workers refuse to take COVID-19 vaccine, even with priority access

At St. Elizabeth Community Hospital in Tehama County, fewer than half of the 700 hospital workers eligible for the vaccine were willing to take the shot when it was first offered. At Providence Holy Cross Medical Center in Mission Hills, one in five frontline nurses and doctors have declined the shot. Roughly 20% to 40% of [L.A. County's](#) frontline workers who were offered the vaccine did the same, according to county public health officials.

So many frontline workers in [Riverside County](#) have refused the vaccine — an estimated 50% — that hospital and public officials met to strategize how best to distribute the unused doses, Public Health Director Kim Saruwatari said.

INTERNATIONAL BUSINESS TIMES

87,000 healthcare workers in Netherlands refuse Covid-19 vaccine

The nurses consider the vaccine 'experimental' and said they don't want to be guinea pigs

At a recent hearing of the Covid-19 Extra pulmonary Inquiry committee, Dr. Elke De Klerk from the Netherlands said she supports 87,000 nurses who resolved to refuse the Covid-19 vaccine because they don't want to be a guinea pig. "We are also starting a lawsuit to bring a really large group of doctors and a really large group of nurses because we have contact with 87,000 nurses that do want the vaccine that is being prepared for us. They are not willing to be the guinea pigs."

Amid random reports of reactions to vaccine surfacing at different parts of the world, here comes a sharp refusal from thousands of healthcare workers. Around 87,000 nurses refused 'experimental' Covid-19 vaccine in the Netherlands, even as the Prime Minister Mark Rutte announced a strict five-week lockdown. Cases in the Netherlands saw a steep rise after the celebrations of Saint Nicholas' birthday on Dec 5.

Forbes

BREAKING | Jan 2, 2021, 01:42pm EST | 1,860,812 views

Large Numbers Of Health Care And Frontline Workers Are Refusing Covid-19 Vaccine

DAILY BEAST

A Third of U.S. Servicemembers Refuse to Be Vaccinated: Pentagon

THE TIMES OF ISRAEL

As demand for vaccines plummets, Israel may resort to incentive programs

There have also been worrying signs of medical workers declining to be vaccinated.

The vaccines have been available for medical staff since late December, and those who are not vaccinated have declined the shots of their own accord.

Miami Herald

Half of Miami's COVID front line passed on vaccines.

A typical vaccine safety trial lasts a MINIMUM of 2 years.
Pfizer & Moderna have ENDED their safety trials after only 7 months by
allowing placebo recipients to receive the vaccine.
This eliminates all possibilities of capturing long-term adverse effects.

Chicago Tribune

Vaccine trial participants who received placebo now hop the line for the real thing from Pfizer, Moderna

By JUDY PERES
CHICAGO TRIBUNE | JAN 14, 2021

Good news for tens of thousands of volunteers in the COVID-19 vaccine trials: Many of those who received a placebo are now being offered a vaccine — in some cases, earlier than they would otherwise have been eligible.

Participants in Pfizer's vaccine study — some of whom had mounted a noisy campaign on social media — have been advised that anyone who wants one can receive the first of two shots by March 1. Participants in Moderna's vaccine trial already are getting immunized.

That wasn't always the plan, and some experts fear "unblinding" volunteers — that is, letting them know whether they got the vaccine or a placebo — could make it difficult to collect good, long-term data on the experimental vaccines, including how safe they are and when their immunity starts to wear off. But others argue it would be unfair to leave trial participants unprotected from a raging pandemic when an effective vaccine is available.



Long-Term Studies Of COVID-19 Vaccines Hurt By Placebo Recipients Getting Immunized

February 19, 2021 · 5:00 AM ET

Tens of thousands of people who volunteered to be in studies of the Pfizer-BioNTech and Moderna COVID-19 vaccines are still participating in follow-up research. But some key questions won't be easily answered, because many people who had been in the placebo group have now opted to take the vaccine.

Dr. Steven Goodman, a clinical trials specialist at Stanford University, says losing those control groups makes it more difficult to answer some important questions about COVID-19 vaccines.

"We don't know how long protections lasts," he says. "We don't know efficacy against variants — for which we definitely need a good control arm — and we also don't know if there are any differences in any of these parameters by age or race or infirmity."

Below (were) the end dates of the Pfizer & Moderna trials.

Official Title:

A Phase 3, Randomized, Stratified, Observer-Blind, Placebo-Controlled Study to Evaluate the Efficacy, Safety, and Immunogenicity of mRNA-1273 SARS-CoV-2 Vaccine in Adults Aged 18 Years and Older

Actual Study Start Date ⓘ :

July 27, 2020

Estimated Primary Completion Date ⓘ :

October 27, 2022

Estimated Study Completion Date ⓘ :

October 27, 2022

Official Title:

A PHASE 1/2/3, PLACEBO-CONTROLLED, RANDOMIZED, OBSERVER-BLIND, DOSE-FINDING STUDY TO EVALUATE THE SAFETY, TOLERABILITY, IMMUNOGENICITY, AND EFFICACY OF SARS-COV-2 RNA VACCINE CANDIDATES AGAINST COVID-19 IN HEALTHY INDIVIDUALS

Actual Study Start Date ⓘ :

April 29, 2020

Estimated Primary Completion Date ⓘ :

August 3, 2021

Estimated Study Completion Date ⓘ :

January 31, 2023

If you are injured by the COVID vaccine, it will be nearly impossible to receive compensation for lost work days and medical bills



If you experience severe side effects after getting a [Covid](#) vaccine, lawyers tell CNBC there is basically no one to blame in a U.S. court of law.

The federal government has granted companies like [Pfizer](#) and [Moderna](#) immunity from liability if something unintentionally goes wrong with their vaccines.

“It is very rare for a blanket immunity law to be passed,” said Rogge Dunn, a Dallas labor and employment attorney. “Pharmaceutical companies typically aren’t offered much liability protection under the law.”

You also can’t sue the Food and Drug Administration for authorizing a vaccine for emergency use, nor can you hold your employer accountable if they mandate inoculation as a condition of employment.

Congress [created a fund](#) specifically to help cover lost wages and out-of-pocket medical expenses for people who have been irreparably harmed by a “covered countermeasure,” such as a vaccine. But it is difficult to use and rarely pays. Attorneys say it has compensated less than 6% of the claims filed in the last decade.

Up next, the rollout of the J&J vaccine



Yarah Dalmau

2h · 🌐

"Dec 18th 2020 – My Dad participated in the Johnson & Johnson Trial COVID vaccine shot. They promised all medical expenses paid for any complications related to COVID for the next 2 years. My Dad found security in the medical expense coverage and possibility to have access to a vaccine- that he decided to do the trial.

Dec 25th 2020 - One week later- Christmas Day – Dad was very fatigued. He felt tired right after the shot and when I spoke with him on Christmas day, I recall he sounded exhausted. Which is unlike him, especially on Christmas.

Jan 4th 2021 By the first of the year, he was very sluggish and found it hard to do his exercises that he does weekly. He always likes to stay active.

Jan 11th – 18th Asthma like symptoms, harder to get through his workouts. Very short of breath and started to be winded very easily. Low grade fevers. Hard to make it through calls at work.

Jan 25th – Dad contacted Johnson & Johnson and they did a COVID test. Results came back 3 days later as negative. They advised he has flu like symptoms and to rest and drink lots of fluids.

Jan 29th my Dad could barely walk. His legs became so weak that he shook when he walked. He thought maybe he was battling a flu and tried to keep resting through the weekend in hopes he would feel better.

Feb 1st - my mom brought him to Lake Mary Emergency room and they immediately transported him via ambulance to Advent Altamonte because of very high troponin levels.

Feb 1st – 4th -My Dad was at Advent Health Altamonte where they ran all kinds of tests and discharged him on the night of Feb 4th . Referring him to an oncologist, infectious disease Dr, cardiologist and PCP.

Feb 5th- Friday I saw my Dad at 11 AM and he could not walk and was very lethargic and sleepy. I called and made all his referral appointments and scheduled him to see his PCP first thing Monday.

Feb 6th- Saturday. I woke up at 6 AM and drove to my parents house and my Dad was completely out of it. He could not get out of bed, pick up his coffee to drink, lift his head. He did not know what year, day, month we were in. We took him to Advent Orlando and within 20 minutes they got him in and found a blood infection and swelling in brain.

Feb 20th We have been here 2 weeks today, and today my Dad started on dialysis.

I am not an anti-vaxxer by any means. But I think there should be some public awareness of the dangers of being part of a trial vaccine. Especially one that is being done in warp speed. And the chance I would recommend someone to get the Johnson & Johnson vaccine, is slim to none. They have denied any type of connection."

Yarah Dalmau

POSSIBLE MECHANISMS OF COVID-19 VACCINE HARM

Many deaths and other adverse reactions to COVID-19 vaccines are dismissed as unrelated simply because scientists do not understand how they could be related. Lacking this knowledge, they assume they must be unrelated. For example, in one of the news articles above, a woman in her 70's passed out within 15 minutes of receiving her vaccine and died soon after despite attempts to revive her. The official response was that her death was unrelated to the vaccine because she didn't have an anaphylactic allergic reaction to the vaccine (which is the only well understood way that someone could die from the vaccine). This is an extremely unscientific approach to studying the issue, to put it mildly: we don't understand how or why it could have happened, therefore it didn't. Below I summarize a few mechanisms by which vaccines could cause short or long term harm:

Allergic Reaction to PEGylated Lipid Nanoparticles

Some people who receive COVID-19 RNA vaccines have anaphylactic shock. Notably, this was not reported during the clinical trials but became apparent very soon after the Pfizer vaccine came on the market. Scientists do not know what causes it, but the leading hypothesis is that this is from the PEGylated lipid nanoparticles that coat the RNA:

<https://www.sciencemag.org/news/2020/12/suspicious-grow-nanoparticles-pfizer-s-covid-19-vaccine-trigger-rare-allergic-reactions>

The CDC indicates caution with vaccinating people who have:

- Severe allergic reaction (e.g., anaphylaxis) after a previous dose of an mRNA COVID-19 vaccine or any of its components
- Immediate allergic reaction of any severity to a previous dose of an mRNA COVID-19 vaccine or any of its components (including polyethylene glycol [PEG])*

- Immediate allergic reaction of any severity to polysorbate (due to potential cross-reactive hypersensitivity with the vaccine ingredient PEG)

But it could have easily been anticipated that people would have a severe allergic reaction to PEG. [From here](#):

“PEGylated lipid nanoparticles have been shown to imbalance certain immune responses and can induce allergies and even autoimmune diseases.

“A 2016 study in Analytical Chemistry reported detectable and sometimes high levels of anti-PEG antibodies ... in approximately 72% of contemporary human samples and about 56% of historical specimens from the 1970s through the 1990s. Of the 72% with PEG IgG antibodies, 8% had anti-PEG IgG antibodies > 500ng/ml., which is considered extremely elevated. **Extrapolated to the U.S. population of 330 million who may receive this vaccine, 16.6 million may have anti-PEG antibody levels associated with adverse effects.** The researchers confessed that the results were entirely unexpected. The authors concluded that:

“...sensitive detection and precise quantitation of anti-PEG Ab levels in a clinical setting will be essential to ensuring the safe use of PEGylated drugs in all target patient populations going forward.’

“Multiple previous studies regarding the prevalence of anti-PEG antibodies in the population have stated that pre-screening should be done prior to any administration of a PEG-containing medication.

Screening is likely to be even more important in the case of a vaccine intended for parenteral administration to as many people as possible that contains a substance to which a majority of the population unknowingly has anti-PEG antibodies.”

Antibody-Dependent Enhancement (ADE)

Following is from [here](#):

“Virus ADE is a biochemical mechanism in which virus-specific antibodies (usually from a vaccine) promote the entry and/or the replication of

another virus into white cells such as monocytes/macrophages and granulocytic cells. This then modulates an overly strong immune response (abnormally enhances it) and induces chronic inflammation, lymphopenia, and/or a 'cytokine storm', one or more of which have been reported to cause severe illness and even death. Essentially, ADE is a disease dissemination cycle causing individuals with secondary infection to be more immunologically upregulated than during their first infection (or prior vaccination) by a different strain.

"Akiko Iwasaki and colleagues describe this coronavirus ADE mechanism in more detail in their 2020 research [published in Nature Reviews Immunology](#). They confirm that pre-existing SARS-CoV-specific antibodies may thus promote viral entry into FcR-expressing cells. This process is independent of ACE2 expression and endosomal pH and proteases, suggesting distinct cellular pathways of ACE2-mediated and FcR-mediated viral entry.

"In short, previous experience with veterinary coronavirus vaccines and animal models of SARS-CoV and MERS-CoV infection has raised safety concerns about the potential for ADE and/or vaccine-associated enhanced respiratory disease. These events were associated either with macrophage-tropic coronaviruses susceptible to antibody-dependent enhancement of replication or with vaccine antigens that induced antibodies with poor neutralizing activity and Th2-biased responses."

[Another paper](#) published in Nature Microbiology echoed these concerns. However, it is worth noting that Pfizer [reported results](#) with high titers and Th1-Biased response. There are however many other COVID-19 vaccines on the market.

Epitope Homology & Molecular Mimicry

James Lyons-Weiler, PhD, a biologist and genomics expert published [this paper](#) back in April 2020: "Pathogenic priming likely contributes to serious and critical illness and mortality in COVID-19 via autoimmunity."

The basic argument is that the COVID-19 virus shares many epitopes with human proteins. An epitope is "the part of an antigen molecule to which an

antibody attaches itself.” This means that antibodies produced to fight a COVID-19 infection might cause harm by attacking proteins produced by the body that share the same epitopes.

The same thing could be true of COVID-19 vaccines. Lyons-Weiler wrote to the FDA and the vaccine developers early on to point out the overlap between the epitopes they included in the vaccine and natural epitopes. He urged them to use epitopes that did not overlap, but was ignored.

Here is the abstract from the paper:

“Homology between human and viral proteins is an established factor in viral- or vaccine-induced autoimmunity. Failure of SARS and MERS vaccines in animal trials involved pathogenesis consistent with an immunological priming that could involve autoimmunity in lung tissues due to previous exposure to the SARS and MERS spike protein. Exposure pathogenesis to SARS-CoV-2 in COVID-19 likely will lead to similar outcomes. Immunogenic peptides in viruses or bacteria that match human proteins are good candidates for pathogenic priming peptides (similar to the more diffuse idea of “immune enhancement”). Here I provide an assessment of potential for human pathogenesis via autoimmunity via exposure, via infection or injection. SARS-CoV-2 spike proteins, and all other SARS-CoV-2 proteins, immunogenic epitopes in each SARS-CoV-2 protein were compared to human proteins in search of high local homologous matching. Only one immunogenic epitope in a SARS-CoV-2 had no homology to human proteins. If all of the parts of the epitopes that are homologous to human proteins are excluded from consideration due to risk of pathogenic priming, the remaining immunogenic parts of the epitopes may be still immunogenic and remain as potentially viable candidates for vaccine development. Mapping of the genes encoding human protein matches to pathways point to targets that could explain the observed presentation of symptoms in COVID-19 disease. It also strongly points to a large number of opportunities for expected disturbances in the immune system itself, targeting elements of MHC Class I and Class II antigen presentation, PD-1 signaling, cross-presentation of soluble exogenous antigens and the ER-Phagosome pathway. Translational consequences of these findings are explored.”

His concerns received validation from [a paper](#) published in January in *Frontiers in Immunology*, “Reaction of Human Monoclonal Antibodies to SARS-CoV-2 Proteins With Tissue Antigens: Implications for Autoimmune Diseases.”

Abstract: **“We sought to determine whether immune reactivity occurs between anti-SARS-CoV-2 protein antibodies and human tissue antigens, and whether molecular mimicry between COVID-19 viral proteins and human tissues could be the cause.** We applied both human monoclonal anti-SARS-Cov-2 antibodies (spike protein, nucleoprotein) and rabbit polyclonal anti-SARS-Cov-2 antibodies (envelope protein, membrane protein) to 55 different tissue antigens. We found that SARS-CoV-2 antibodies had reactions with 28 out of 55 tissue antigens, representing a diversity of tissue groups that included barrier proteins, gastrointestinal, thyroid and neural tissues, and more. We also did selective epitope mapping using BLAST and showed similarities and homology between spike, nucleoprotein, and many other SARS-CoV-2 proteins with the human tissue antigens mitochondria M2, F-actin and TPO. **This extensive immune cross-reactivity between SARS-CoV-2 antibodies and different antigen groups may play a role in the multi-system disease process of COVID-19, influence the severity of the disease, precipitate the onset of autoimmunity in susceptible subgroups, and potentially exacerbate autoimmunity in subjects that have pre-existing autoimmune diseases.** Very recently, human monoclonal antibodies were approved for use on patients with COVID-19. The human monoclonal antibodies used in this study are almost identical with these approved antibodies. Thus, our results can establish the potential risk for autoimmunity and multi-system disorders with COVID-19 that may come from cross-reactivity between our own human tissues and this dreaded virus, and thus ensure that the badly-needed vaccines and treatments being developed for it are truly safe to use against this disease.”

SPIKE PROTEIN MAY BE ENOUGH TO CAUSE HARM

From [a public comment](#) submitted to the FDA by J. Patrick Whelan, MD, a pediatric rheumatologist”

“I am a pediatric specialist caring for children with the multisystem inflammatory syndrome (MIS-C). I am concerned about the possibility that the new vaccines aimed at creating immunity against the SARS-CoV-2 spike protein (including the mRNA vaccines of Moderna and Pfizer) have the potential to cause microvascular injury to the brain, heart, liver, and kidneys in a way that does not currently appear to be assessed in safety trials of these potential drugs.

“Puntmann et al. (JAMA Cardiol. 2020;5:1265-1273) showed that the prospective study of 100 German patients who were recently recovered from COVID-19 revealed significant cardiac involvement on cardiac MRI scans in 78% of them, an average 2-1/2 months after their recovery from the acute illness. Two-thirds of these patients were never hospitalized, and there was ongoing myocardial inflammation in 60%. The abnormalities occurred independent of preexisting conditions, severity of the initial disease, and overall course of the acute illness.

“Magro et al. showed that there is complement-mediated damage even in grossly normal skin of coronavirus-infected individuals (Human Pathology 2020;106:106-116). They have also shown (Magro et al. Annals of Diagnostic Pathology 2021:50 in press) that ACE-2 receptor expression is highest in the microvasculature of the b and subcutaneous fat, and to a lesser degree in the liver, kidney, and heart. They have further demonstrated that the coronavirus replicates almost exclusively in the septal capillary endothelial cells of the lungs and the nasopharynx, and that viral lysis and immune destruction of those cells releases viral capsid proteins (or pseudovirions) that travel through the circulation and bind to ACE2 receptors in these other parts of the body leading to mannan-binding lectin complement pathway activation that not only damages the microvascular endothelium but also induces the production of many pro-

inflammatory cytokines. Meinhardt et al. (Nature Neuroscience 2020, in press) show that the spike protein in brain endothelial cells is associated with formation of microthrombi (clots), and like Magro et al. do not find viral RNA in brain endothelium. In other words, viral proteins appear to cause tissue damage without actively replicating virus.

“Is it possible the spike protein itself causes the tissue damage associated with Covid-19? Nuovo et al (in press) have shown that in 13/13 brains from patients with fatal COVID-19, pseudovirions (spike, envelope, and membrane proteins) without viral RNA are present in the endothelia of cerebral microvessels. Furthermore, tail vein injection of the full length S1 spike subunit in mice led to neurologic signs (increased thirst, stressed behavior) not evident in those injected with the S2 subunit. **The S1 subunit localizes to the endothelia of microvessels in the mouse brain, and is a potent neurotoxin.** So the spike S1 subunit of SARS-CoV-2 alone is capable of being endocytosed by ACE2 positive endothelia in both human and mouse brain, with a concomitant pauci-cellular microencephalitis that may be the basis for the neurologic complications of COVID-19.

“The Pfizer/BioNTech vaccine (BNT162b2) is composed of an mRNA that produces a membrane-anchored full-length spike protein. The mouse studies suggest that an untruncated form of the S1 protein like this may cause a microvasculopathy in tissues that express much ACE2 receptor. A truncated form of S1 was much less damaging in mice.

“While there are pieces to this puzzle that have yet to be worked out, it appears that the viral spike protein that is the target of the major SARS-CoV-2 vaccines is also one of the key agents causing the damage to distant organs that may include the brain, heart, lung, and kidney. Before any of these vaccines are approved for widespread use in humans, it is important to assess in vaccinated subjects the effects of vaccination on the heart (perhaps using cardiac MRI, as Puntmann et al. did). Vaccinated patients could also be tested for distant tissue damage in deltoid area skin biopsies, as employed by Magro et al. As important as it is to quickly arrest the spread of the virus by immunizing the population, it would be

vastly worse if hundreds of millions of people were to suffer long-lasting or even permanent damage to their brain or heart microvasculature as a result of failing to appreciate in the short-term an unintended effect of full-length spike protein-based vaccines on these other organs.

“Particular caution will be required with regard to the potential widespread vaccination of children before there are any real data on the safety or effectiveness of these vaccines in pediatric trials that are only now beginning.”

His concerns were further validated by research published around the same time in [Nature Neuroscience](#) showing that a spike protein (S1) from SARS-CoV-2 can cross the blood-brain barrier and cause inflammation. [Here](#) the corresponding author explains:

“The spike protein, often called the S1 protein, dictates which cells the virus can enter. Usually, the virus does the same thing as its binding protein, said lead author William A. Banks, a professor of medicine at the University of Washington School of Medicine.... **Banks said binding proteins like S1 usually by themselves cause damage as they detach from the virus and cause inflammation.** ‘The S1 protein likely causes the brain to release cytokines and inflammatory products,’ he said.

“In science circles, the intense inflammation caused by the COVID-19 infection is called a cytokine storm. The immune system, upon seeing the virus and its proteins, overreacts in its attempt to kill the invading virus. The infected person is left with brain fog, fatigue and other cognitive issues.”